

INVITATION FOR BID – BID NO. B015068

ARKANSAS TECH UNIVERSITY
Procurement and Risk Management Services
Young Building East End
203 West O Street
Russellville, AR 72801-2222

BID RESPONSE MUST BE SUBMITTED IN A SEALED ENVELOPE WITH THE BID NUMBER, BID OPENING DATE AND TIME SHOWN ON THE OUTSIDE OF THE ENVELOPE.

FAXED or EMAILED BID RESPONSES WILL NOT BE ACCEPTED.

RESPONSE DUE BY: **May 22, 2015**

TIME: **2:00 p.m.**

BID DESCRIPTION:

Arkansas Tech University is requesting bids for furnishings for the new Robert Charles Brown and Jill Lestage Brown Building.

For additional information, contact Jennifer Warren, Procurement Coordinator.

Tel: 479-968-0269

Fax: 479-968-0633

E-mail: purchasing@atu.edu

Web Site: <http://www.atu.edu/purchasing>

SUCCESSFUL BIDDER: All respondents should submit the attached EEO Policy Letter with their bid response. No award can be made until the form is received. For awards exceeding \$25,000, successful bidder will be required to complete the Contract and Grant Disclosure and Certification Form BEFORE a purchase order can be issued. The form is available on the Procurement Services web site. Upon award of the bid a site visit to conduct a field measure for casegoods will be required.

ALTERNATE OFFERINGS/DESCRIPTIVE LITERATURE: If bidding an alternate, contact Kate East at kate@amr-architects.com or Monica Colvard at monica@amr-architects.com with AMR Architects for review and approval of the alternate. Contact must be made with AMR one week prior to bid due date. If approved, descriptive literature must accompany the bid submission. Failure to do so may result in rejection of bid.

AWARD: Award will be made in the best interest of the University, and the University's decision is final.

DELIVERY AND INSTALLATION: Anticipated delivery date is September 7, 2015, date subject to change based on construction schedule. Delivery and installation/set up will be provided by the winning bidder(s). University dumpsters may **NOT** be used to dispose of packing materials during installation/set up.

PLEASE READ THE FOLLOWING INSTRUCTIONS:

This Invitation to Bid contains 5 groupings of furniture goods. Bidders are encouraged to respond to as many items as possible. Bid will **NOT** be awarded on an "all or none" basis. Prospective bidders must submit questions by May 7, 2015 at 4 p.m. via email to purchasing@atu.edu. Responses to questions will be posted in an addendum on the Procurement Services website. Please see Alternate Offerings section above for information about bidding an alternate item(s).

Table of Contents	Page(s)
Group 1	2-13
Group 2	14-17
Group 3	18-47
Group 4	48-59
Group 5	60-69
Forms	71
Terms and Conditions	72-78

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
Group 1								
1.	1	S1	60	Classroom 105 Specialty Chair	Arper Catifa 53 Sled - Seat and Back Shell in Single Color Polypropylene, Chromed Steel sled base with Polycarbonate glide with polyurethane insert, included accessories: Ganging link device and Removable Upholstered Seat Cushion; 17.75" Seat Height, 20.625" Overall Depth, 24.375" Overall Width, 30.75 Overall Height; COLOR SELECTIONS: Poly shell PO00101 White, Upholstered Seat Cushion: Maharam Alloy 466064 Chamomile 003			None
2.	1	S2	20	Café Chair	Fermob/Luxembourg Side Stacking Chair 4101 - 20.4" Wide, 22.4" Deep, 19" seat Height, 34.5" Overall height; Aluminum tubular frame Shaped extruded aluminum slats for backrest and seat, High Protection Treatment for outdoor use, 100% polyester baked anti- UV powder coating. COLOR SELECTIONS: Miel/Honey 73			None
3.	1	S3	214	Office Guest Chair	Herman Miller Caper Guest Chair - lightweight, mobile, breathable; Tubular steel frame, a molded back and seat that is perforated and contoured with cut-out handle in back for easy movement; 4-leg base with carpet glides. 17.5" Seat Height, 21.5" seat width, 17.25" seat depth, 32" overall height. Weight 9.5 lbs. No Arms; tested and warranted for persons 300 pounds and under; Meets CAL 133 Requirements. COLOR SELECTIONS: Metallic Silver MS Frame, Studio White 98 Poly shell			None
4.	1	S9	21	Elevator Lobby Stool	Herman Miller Caper Stool - lightweight, mobile, breathable; Tubular steel frame, a molded back and seat that is perforated and contoured with cut-out handle in back for easy movement; 4-leg base with carpet glides. 42.5" overall height, 28.5" Seat Height; Weight 16 lbs. No Arms; tested and warranted for persons 300 pounds and under; Meets CAL 133 Requirements. COLOR SELECTIONS: Metallic Silver MS Frame, Studio White 98 Poly shell			None

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
5.	1	S10	24	Tutor & Guest Chair with Casters	Herman Miller Caper Arm Chair - lightweight, mobile, breathable; Tubular steel frame; molded back and that is perforated and contoured with cut-out handle for easy movement, with Flexnet™ seat in suspension material; 4-leg base with casters - U4 hard wheel caster; tested and warranted for persons 300 pounds and under; Chair weighs roughly 11.5 lbs; 18" Seat Height, 21.5" seat width, 18.5" seat depth, 32" overall height; Chair meets CAL 133 requirements COLOR SELECTIONS: Metallic Silver MS Frame, Silver Grey SY Arm, Silver Grey Flexnet seat, Fog 63 Poly finish			None
6.	1	S11	25	Computer Station & Misc Area Chair	Herman Miller Caper Chair Armless - lightweight, mobile, breathable; Tubular steel frame; molded back and that is perforated and contoured with cut-out handle for easy movement, with Flexnet™ seat in suspension material; 4-leg base with casters - U4 hard wheel caster; tested and warranted for persons 300 pounds and under; Chair weighs roughly 11.5 lbs; 18" Seat Height, 21.5" seat width, 18.5" seat depth, 32" overall height; Chair meets CAL 133 requirements COLOR SELECTIONS: Metallic Silver MS Frame, Silver Grey Flexnet Seat, (Qty: 11) in Green Apple 79 Poly Finish, (Qty 14) in Fog 63			None
7.	1	S16	2	Kid's Chair	Fermob/Luxembourg Kid Chair 4106 - 13.9" Overall Width, 14" Depth, 12" seat Height, 21.8" Overall height; Aluminum tubular frame Shaped extruded aluminum slats for backrest, seat and armrests High Protection Treatment for outdoor use 100% polyester baked anti- UV powder coating. COLOR SELECTIONS: Vert Cedre/Cedar Green 02			None
8.	1	S17	92	Classroom Chair	Herman Miller Caper Chair Armless - lightweight, mobile, breathable; Tubular steel frame; molded back and that is perforated and contoured with cut-out handle for easy movement, with Flexnet™ seat in suspension material; 4-leg base with casters - U4 hard wheel caster; tested and warranted for persons 300 pounds and under; Chair weighs roughly 11.5 lbs; 18" Seat Height, 21.5" seat width, 18.5" seat depth, 32" overall height; Chair meets CAL 133 requirements COLOR SELECTIONS: Metallic Silver MS frame, Silver Grey Flexnet Seat, Green Apple 79 Poly finish			None

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
9.	1	S19	19	Department Waiting Area Chair	Herman Miller Molded Plastic Arm Chair - Single piece molded plastic shell with waterfall edges and molded back, seat and arms; Wire base; 17.25" Seat Height, 24.5" Overall Depth, 25" Overall Width, 31.5" Overall Height; COLOR SELECTIONS: White Wire Base, (Qty 6) White ZF, (Qty 1) Charcoal CHL, (Qty 1) Aqua Sky 4T, (Qty 2) Stone STN, (Qty 7) Kelly Green KGR, (Qty 2) Peacock Blue PBL			None
10.	1	S20	12	Second Floor Study Table Seating	Herman Miller Molded Plastic Side Chair - Single Piece Molded Plastic shell with waterfall edges and molded back and seat; Wire Base; 18.5" seat Height, 18.25" Seat Width, 18.75" Overall Depth, 31.75" Overall height; COLOR SELECTIONS: White Wire Base; Qty 2 of each of the following colors: Charcoal CHL, Red ZE, Peacock Blue PBL, Aqua Sky 4T, Kelly Green KGR, Stone STN			None
11.	1	S21	1	Executive Desk Chair	Herman Miller Aeron Chair - AE11-1-A-W-B-AJ - Lightweight and breathable Pellicle Material for seat and back that conforms to users body and retains original shape when unoccupied, Pneumatic height adjustment and Kinemat tilt; Standard Tilt; Adjustable Lumbar Support; Fully adjustable arms that move 4" vertically and pivots 15 degree outward and 17.5 degrees inward; 2.5" hard casters with black yoke for carpet only COLOR SELECTIONS: Pellicle Classic Back and Seat Price Category 1 Carbon 3D01, Non Upholstered Arm pads Black BK, Graphite G1 frame,			None
12.	1	U5	1	Wall Hung Brochure Display	Safco Reveal Wall Mounted Display - 6 Magazine and 12 Pamphlet inserts COLOR SELECTIONS: Clear If bidding alternate: Make: _____ Model: _____ Warranty: _____			Yes, see Alternate Offerings above
13.	1	T1	1	Kid's Table	Fermob/Luxembourg Kid Table 4107 - 29.7" table length, 21.8" table depth, 18.5" Table Height; Aluminum tubular frame Shaped extruded aluminum slats for backrest, seat and armrests High Protection Treatment for outdoor use 100% polyester baked anti- UV powder coating. 30" x 22".			None

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
					COLOR SELECTIONS: Vert Cedre/Cedar Green 02			
14.	1	T2	3	Banquette Table	Arper Dizzie Table 0707 - Table constructed of MDF top and custom powder coated metal base; Base 28.5" High, 36" Diameter Laminate over MDF Top COLOR SELECTIONS: White Laminate Top, V37 Green Powder Coat Base			None
15.	1	T3	5	Café Table	Fermob/Luxembourg Table 4131 - 31.4" Square, 29" overall Height; Aluminum tubular frame Shaped extruded aluminum slats for backrest, seat and armrests High Protection Treatment for outdoor use 100% polyester baked anti- UV powder coating. 32" x 32" . COLOR SELECTIONS: Miel/Honey 73			None
16.	1	T9	4	Coffee Table 30" Round	Herman Miller Eames Universal Base Round - ET301L - 16" High x 30" Diameter; 0.875" Thick Laminate Top with matching thermoplastic edge; metal base has adjustable glides COLOR SELECTIONS: Laminate Top: Studio White 98 with Studio White 98 Thermoplastic Edge; Column and Base: Metallic Silver MS If bidding alternate: Make: _____ Model: _____ Warranty: _____			Yes, see Alternate Offerings above
17.	1	T11	2	Coffee Table 36" Round	Herman Miller Eames Universal Base Round - ET302L - 16" High x 36" Diameter; 0.875" Thick Laminate Top with matching thermoplastic edge; metal base has adjustable glides COLOR SELECTIONS: Laminate Top: Studio White 98 with Studio White 98 Thermoplastic Edge; Column and Base: Metallic Silver MS If bidding alternate: Make: _____ Model: _____ Warranty: _____			Yes, see Alternate Offerings above

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
18.	1	T26	2	Study Table	Herman Miller Eames Universal Base Round - 28.5" High x 60" Diameter; 1.125" thick Laminate Top with matching thermoplastic edge; metal base has adjustable glides COLOR SELECTIONS: Laminate Top: Studio White 98 with Studio White 98 Thermoplastic Edge; Column and Base: Metallic Silver MS If bidding alternate: Make: _____ Model: _____ Warranty: _____			Yes, see Alternate Offerings above
19.	1	L6	10	Lounge Chair with Swivel Base	National Fringe Club Chair with Arms - Interior Frame is constructed of plywood with tenon joints that are glued and screwed together, Chair seat constructed of 7.5" high grade polyurethane foam covering plywood seat panel, Back constructed of 2.25" high grade custom shaped polyurethane foam stretched over web sheet and attached to frame, Plywood constructed arm frame covered with 2" high grade polyurethane foam on arm surface and .375" foam on sides; Die cast aluminum five prong base with non-marring nylon glides, 360 degree swivel with auto-return COLOR SELECTIONS: Platinum Metallic Club base; Caramel CL Laminate Finish; Fabric: Architex Born and Bred Color Wilson If bidding alternate: Make: _____ Model: _____ Warranty: _____			Yes, see Alternate Offerings above
20.	1	L7	1	Elevator Lobby Lounge	National Fringe Modular Lounge - Interior frame in constructed of plywood with tenon joints that are glued and screwed together, Seat construction features 5.5" high grade polyurethane foam covering a plywood seat panel, Back construction features 1.5" high grade custom shaped polyurethane foam stretched over web sheet and attached to frame, Arm rests feature plywood constructed arm frame covered with 0.75" high grade polyurethane foam on arm			Yes, see Alternate Offerings above

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
					<p>surface and 0.375" foam on sides; Tablet arms have 0.75" thick laminate tablet arm with MDF core attached with 0.25" steel base plate with screws that mount over a 0.75" insert rod and fit into structure of arm, 360 degree swivel and writing surface of 21" wide x 13.5" deep; Die-cast aluminum legs with 1" black adjustable leveling glides; Ganging devices as required to connect all individual components into one lounge piece COLOR SELECTIONS: Platinum Metallic Legs, Caramel CL laminate tablet arms; See attached plan and 3D drawings for locations of Fabrics; Fabric Legend as follows: Momentum 1: Momentum Silica Etch Color Mink; Momentum 2: Momentum Row Color Marigold; Maharam 1: Maharam Folklore 465959 Color 002 Viridian Railroaded (Stripes to run vertically)</p> <p>If bidding alternate: Make: _____ Model: _____ Warranty: _____</p>			
21.	1	L8	1	Elevator Lobby Lounge	<p>National Fringe Modular Lounge - Interior frame in constructed of plywood with tenon joints that are glued and screwed together, Seat construction features 5.5" high grade polyurethane foam covering a plywood seat panel, Back construction features 1.5" high grade custom shaped polyurethane foam stretched over web sheet and attached to frame, Arm rests feature plywood constructed arm frame covered with 0.75" high grade polyurethane foam on arm surface and 0.375" foam on sides; Tablet arms have 0.75" thick laminate tablet arm with MDF core attached with 0.25" steel base plate with screws that mount over a 0.75" insert rod and fit into structure of arm, 360 degree swivel and writing surface of 21" wide x 13.5" deep; Die-cast aluminum legs with 1" black adjustable leveling glides; Power grommet in arm G23 silver grommet, 2 electrical receptacles and 2 USB ports - see drawing attached for arm location; Table construction consists of laminate with mitered corners and die-cast aluminum legs; Power grommet in side table to be One Touch Pivoting power</p>			Yes, see Alternate Offerings above

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
					<p>grommet with two power receptacles, 3.75" x 2.5" centered in table; Ganging devices as required to connect all individual components into one lounge piece COLOR SELECTIONS: Platinum Metallic Legs, Caramel CL laminate tablet arms and table; See attached plan and 3D drawings for locations of Fabrics; Fabric Legend as follows: Momentum 1: Momentum Silica Etch Color Mink; Momentum 2: Momentum Row Color Marigold; Maharam 1: Maharam Folklore 465959 Color 002 Viridian Railroaded (Stripes to run vertically); Ultra 1: Ultra Fabrics Ultra Leather 291 Color Juniper 4261; Architex 1: Architex Born & Bred Color Wilson If bidding alternate: Make: _____ Model: _____ Warranty: _____</p>			
22.	1	L10	2	Lounge Chair	<p>National Fringe Club Chair with Arms - Interior Frame is constructed of plywood with tenon joints that are glued and screwed together, Chair seat constructed of 7.5" high grade polyurethane foam covering plywood seat panel, Back constructed of 2.25" high grade custom shaped polyurethane foam stretched over web sheet and attached to frame, Plywood constructed arm frame covered with 2" high grade polyurethane foam on arm surface and .375" foam on sides; Die cast aluminum five prong base with non-marring nylon glides, 360 degree swivel with auto-return COLOR SELECTIONS: Platinum Metallic Club base; Caramel CL Laminate Finish; Fabric: Momentum Row Color Marigold If bidding alternate: Make: _____ Model: _____ Warranty: _____</p>			Yes, see Alternate Offerings above

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
23.	1	L16	2	Elevator Lobby Lounge	<p>National Fringe Modular Lounge - Interior frame in constructed of plywood with tenon joints that are glued and screwed together, Seat construction features 5.5" high grade polyurethane foam covering a plywood seat panel, Back construction features 1.5" high grade custom shaped polyurethane foam stretched over web sheet and attached to frame, Arm rests feature plywood constructed arm frame covered with 0.75" high grade polyurethane foam on arm surface and 0.375" foam on sides; Tablet arms have 0.75" thick laminate tablet arm with MDF core attached with 0.25" steel base plate with screws that mount over a 0.75" insert rod and fit into structure of arm, 360 degree swivel and writing surface of 21" wide x 13.5" deep; Die-cast aluminum legs with 1" black adjustable leveling glides; Table construction consists of laminate with mitered corners and die-cast aluminum legs; Ganging devices as required to connect all individual components into one lounge piece</p> <p>COLOR SELECTIONS: Platinum Metallic Legs, Caramel CL laminate tablet arms and table; See attached plan and 3D drawings for locations of Fabrics; Fabric Legend as follows: Momentum 1: Momentum Silica Etch Color Mink; Momentum 2: Momentum Row Color Marigold; Maharam 1: Maharam Folklore 465959 Color 002 Viridian Railroaded (Stripes to run vertically); Ultra 1: Ultra Fabrics Ultra Leather 291 Color Juniper 4261</p> <p>If bidding alternate: Make: _____ Model: _____ Warranty: _____</p>			Yes, see Alternate Offerings above
24.	1	L17	2	Elevator Lobby Lounge	<p>National Fringe Modular Lounge - Interior frame in constructed of plywood with tenon joints that are glued and screwed together, Seat construction features 5.5" high grade polyurethane foam covering a plywood seat panel, Back construction features 1.5" high grade custom shaped polyurethane foam stretched over web sheet and attached to frame, Arm rests feature plywood constructed arm frame covered with 0.75" high grade polyurethane foam on arm</p>			Yes, see Alternate Offerings above

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
					<p>surface and 0.375" foam on sides; Tablet arms have 0.75" thick laminate tablet arm with MDF core attached with 0.25" steel base plate with screws that mount over a 0.75" insert rod and fit into structure of arm, 360 degree swivel and writing surface of 21" wide x 13.5" deep; Die-cast aluminum legs with 1" black adjustable leveling glides; Table construction consists of laminate with mitered corners and die-cast aluminum legs; Power grommet in side table to be One Touch Pivoting power grommet with two power receptacles, 3.75" x 2.5" centered in table; Ganging devices as required to connect all individual components into one lounge piece COLOR SELECTIONS: Platinum Metallic Legs, Caramel CL laminate tablet arms and table; See attached plan and 3D drawings for locations of Fabrics; Fabric Legend as follows: Momentum 1: Momentum Silica Etch Color Mink; Maharam 1: Maharam Folklore 465959 Color 002 Viridian Railroaded (Stripes to run vertically); Ultra 1: Ultra Fabrics Ultra Leather 291 Color Juniper 4261</p> <p>If bidding alternate: Make: _____ Model: _____ Warranty: _____</p>			
25.	1	MB 1	5	Mobile Markerboard	<p>Clarus Go Mobile Glassboard - 40" wide x 73" wide; Multiple sided Nesting glassboard made of PPG Starphire Tempered Safety Writing Glass; Non-staining writing surface compatible with any marker, even permanent; US Made; 0.125" x 1.25" Rigid steel frame with powder coat finish; writable non-ghosting tempered magnetic glass; Weight 105 lbs; non locking casters COLOR SELECTIONS: Pure White C100 Glass, Yellow Frame F102, Grey Casters</p>			None
26.	1	MB 2	22	Marker and Eraser Holder for Markerboards	<p>Clarus Box - Magnetic accessory that holds both markers and erasers; 1.75" high x 2.25" deep x 12" wide COLOR SELECTIONS: Soft Gray</p>			None

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
27.	1	TB1	2	Room Divider with Tackboard	Herman Miller Canvas Office Standing Screen - FC300 - 68" h x 36"w Plywood frame construction with clear finished exposed edge, tackboard infill on both sides and open bottom; include 2 standing screen supports per panel FC310; COLOR SELECTIONS: Frame in Light Anigre HP Laminate with clear finished exposed edges, Tackboard: Price Category 1 Crossing Spruce 8T15			None
28.	1	P1	9	Mobile Podium	National Universal Mobile Lectern 10N2142LCML - 16.5"d x 21.125"w x 42.375"h overall size, High Pressure Laminate writing surface, Pencil ledge, No CSL on lectern top, Four double wheel locking casters, 12 degree slope on top writing surface, non adjustable, 30lbs total weight COLOR SELECTIONS: Platinum Metallic 501 base, Laminate Finish: Caramel CL If bidding alternate: Make: _____ Model: _____ Warranty: _____			Yes, see Alternate Offerings above
29.	1	M2	78	Monitor Arm - 2 Computers	Herman Miller Flo Dual Screen Monitor Arm, Clamp Mount - Y91175 - Supports two monitors up to 20lbs each, 13.25" height adjustable race, 20.625" extension race, and 40 degree upward tilt and -40 degree downward tilt; Both arms include quick disconnect feature that allows easy installation and removal of monitor; includes integrated cable management on underside of arm, visual indicator showing arm's tension; VESA Attachment plate provides both 75mm and 100mm patterns; clamp is top mounted, attachment hardware included COLOR SELECTIONS: Silver finish			None
30.	1	F1	13	Box, Box, File	Herman Miller Tu - W-Pull Freestanding Pedestal LW100 - 14.625" Wide x 23.25" Deep x 27.25" High; Raised Height, Smooth steel case with full width integrated pulls, and 1" leveling glides; counterweight is included; full extension drawer slides; file drawer holds letter size front to back hanging files COLOR SELECTIONS: Sandstone WL			Yes, see Alternate Offerings above

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
					<p>If bidding alternate: Make: _____</p> <p>Model: _____</p> <p>Warranty: _____</p>			
31.	1	F2	2	Lateral File - 2 drawer	<p>Herman Miller Tu - W-Pull Freestanding Lateral File LW200 - 41.625" Wide x 19.375" Deep x 27.25" High; Raised Height, Smooth Steel case with full width integrated pulls, and 1" leveling glides, positive interlock system that permits only one drawer to pull out at a time; Side to Side filing rails, counterweight included COLOR SELECTIONS: Sandstone WL</p> <p>If bidding alternate: Make: _____</p> <p>Model: _____</p> <p>Warranty: _____</p>			Yes, see Alternate Offerings above
32.	1	F3	6	File, File	<p>Herman Miller Tu - W-Pull Freestanding Pedestal LW100 - 14.625" Wide x 23.25" Deep x 27.25" High; Raised Height, Smooth steel case with full width integrated pulls, and 1" leveling glides; counterweight is included; full extension drawer slides; file drawer holds letter size front to back hanging files COLOR SELECTIONS: Sandstone WL</p> <p>If bidding alternate: Make: _____</p> <p>Model: _____</p> <p>Warranty: _____</p>			Yes, see Alternate Offerings above
33.	1	F4	6	Lateral File - 3 drawer-30"	<p>Herman Miller Tu - W-Pull Freestanding Lateral File LW200 - 29.625" Wide x 19.375" Deep x 39.125" High; Smooth Steel case with full width integrated pulls, and 1" leveling glides, positive interlock system that permits only one drawer to pull out at a time; Side to Side filing rails, counterweight included COLOR SELECTIONS: Sandstone WL</p> <p>If bidding alternate:</p>			Yes, see Alternate Offerings above

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
					Make: _____ Model: _____ Warranty: _____			
34.	1	F5	3	Lateral File - 3 drawer - 36"	Herman Miller Tu - W-Pull Freestanding Lateral File LW200 - 35.625" Wide x 19.375" Deep x 39.125" High; Smooth Steel case with full width integrated pulls, and 1" leveling glides, positive interlock system that permits only one drawer to pull out at a time; Side to Side filing rails, counterweight included COLOR SELECTIONS: Sandstone WL If bidding alternate: Make: _____ Model: _____ Warranty: _____			Yes, see Alternate Offerings above
35.	1	F6	3	Lateral File - 4 drawer	Herman Miller Tu - W-Pull Freestanding Lateral File LW200 - 35.625" Wide x 19.375" Deep x 51.5" High; Smooth Steel case with full width integrated pulls, and 1" leveling glides, positive interlock system that permits only one drawer to pull out at a time; Side to Side filing rails, counterweight included COLOR SELECTIONS: Sandstone WL If bidding alternate: Make: _____ Model: _____ Warranty: _____			Yes, see Alternate Offerings above

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
Group 2								
	2	D8	1	Reception Desk - Student Support	<p>Combination of Steelcase Currency Workwall and Steelcase Payback - Currency Workwall: Closed workwall system in Low Pressure Laminate, 1mm Plastic edge to match laminate, Case contains 5,4, or 3 sections all with adjustable shelves and closed back panels, adjustable leveling glides, 36" high Low Pressure Laminate doors with matching plastic edge, nickel pulls, doors to have locks - lock face ring with plastic plug to accommodate lock cylinder 9250 Ember Chrome, See drawings attached for Workwall configuration; Steelcase Payback Desk with Transaction top and Bridge: High pressure laminate on all horizontal worksurfaces, Low pressure laminate on vertical surfaces, Desk shell and Transaction shell do not have overhang, and top is flush with back panel, 1" thick worksurface with flat high-impact plastic edge, Transaction shell to have tackboard on inside back, Full modesty panels around all outside faces of desk unit, 1 Grommet located at back center of both Bridge and Desk worksurfaces, One box and one file drawer hung from bridge - see attached drawing for location; Include required attachment brackets to connect all components to achieve one unit; See attached drawings for layout COLOR SELECTIONS: Ledge pull Platinum, All components Artic White Laminate 2L30</p> <p>If bidding alternate: Make: _____ Model: _____ Warranty: _____</p>			Yes, see Alternate Offerings above
36.	2	T4	2	Table at Lounge seating	Steelcase Regard Table - top in 1" thick High Pressure Laminate with matching 3MM plastic trim. Column and base are painted steel. Laminate Top - 28.5" H x 22" d x 22" w. COLOR SELECTIONS: Platinum Metallic Base, Laminate: Clear Cherry 2406			None
37.	2	T5	3	Side Table at Lounge Seating	Steelcase Regard Table - top in 1" thick High Pressure Laminate with matching 3MM plastic trim. Column and base are painted steel. Laminate Top -15" H x 22" d x 22" w. COLOR SELECTIONS: Platinum Metallic Base, Laminate: Clear Cherry 2406			None

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
38.	2	T8	3	Small Coffee Table	Turnstone Paper Table - 25' dia x 23.5" h Laminate wrapped base with dry-erase glass top COLOR SELECTIONS: White glass top; Base: Brushed Silver Laminate			None
39.	2	S5	2	Stool at Lounge Seating	Coalesse Enea Lotus Stool - Sled Base Counter-Height Stool with No Insert. Base and Frame constructed of steel tubing. Seat and back polypropylene. 18" Deep x 18.25" Wide. COLOR SELECTIONS: 003 White with white sled base			None
40.	2	S8	9	Classroom Instructor Stool	Steelcase Move 490 Series Stool - Plastic back,glides,no arms and poly seat. Steel frame. Seat Width 19", Seat depth 18.5", COLOR SELECTIONS: Platinum Metallic Base Paint, Poly Color: (Qty 5) Signature Plastics Gold 6BC8, (Qty 2) Signature Plastics Green 6BC3, (Qty 2) Plastics Wasabi 6335			None
41.	2	S13	66	Collaborative Classroom Chair	Steelcase Node 480 Series Collaborative Chair - Tripod Base and personal worksurface. Hard Casters. One piece polypropylene contoured shell with 360 degree swivel seat. Personal Worksurface is 12"dx 22 1/4 wide. COLOR SELECTIONS: Element Base, Element Worksurface, Platinum Metallic Paint, Poly Color: (Qty 39) Signature Plastics Green 6BC3, (Qty 27) Plastic Wasabi 6335			None
42.	2	S14	8	Side chair at Lounge	Coalesse Enea Lotus Chair - Chair with No Insert. Base and Frame constructed of steel tubing. Seat and back polypropylene. 18" Deep x 18.25" Wide. COLOR SELECTIONS: 003 White with white legs			None
43.	2	S15	132	Classroom Chair with arms	Steelcase Move 490 Series Chair - Plastic back and seat, hard dual casters, cantilevered arms. Steel frame. Seat Width 19", Seat depth 18.5" COLOR SELECTIONS: Platinum Metallic Legs, Poly Color: (Qty 30) Plastic Wasabi 6335, (Qty 102) Signature Plastics Gold 6BC8			None
44.	2	L1 a-e	1	Reception Lounge	Steelcase Regard Modular Lounge - Frame based modular system where frame understructure is welded tubular steel. Frames are dynamically tested to 500 lb. and statically tested to 750 lb. in all seating positions. Cast legs attach to steel frame with bolts at each corner of the frame. Aluminum extrusion trims span between each corner leg to lock in seats and arms. Seats can be reconfigured by removing			None

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
					<p>trims and have brackets that secure them to frames without fasteners. Seat Cushions are a height of 4.5", Bench cushions are a height of 7.5"; Back Cushions Single sided are a depth of 7.5" and double sided at 15"; Cushions are constructed of high density state of the art foam and fire resistant; Upholstered arms and contoured plastic arms with power inserts; Power also included under frame and recessed in worksurface of desk cabinet - power strips to be corded NOT hardwired - see attached drawings for power locations COLOR SELECTIONS: Platinum Metallic Legs and Frame; Platinum Solid Plastic for powered arms; Plastic Laminates: Woodgrain Laminate: Clear Cherry 2406, Solid: Dune 2885; See attached plan and 3D drawings for locations of Fabrics; Fabric Legend as follows: Momentum 1: Momentum Beeline Color Sundance, Momentum 2: Momentum Beep Color Greenlight, Momentum 3: Momentum Silica Etch Color Mink, Maharam 1: Maharam Alloy 466064 Color 003 Chamomile, Knoll 1: Knoll Textiles Vibe K1029/24 Color Flirtatious, Arc-Com 1: Arc-Com Dynasty AC60510 Color Kiwi #11</p>			
45.	2	L2	1	Reception Modular Lounge	<p>Coalesse Await - Frame: Unibody construction with finger-jointed plywood. Multiple densities of polyurethane foam and polyester foam and polyester fiber. Top and double needle stitching on seams. Legs: high-density polyurethane resin. Connector Tables in Laminate with 1/2" thick Glass Tablet 28"dx4.5". Power Pop up In 2 connector tables; See attached drawing for power locations COLOR SELECTIONS: White glass tablets, Grey Laminate on Connector Tables, See attached plan and 3D drawings for locations of Fabrics; Fabric Legend as follows: Arc-Com 1: Arc-Com Spectrum AC-69713 Color Pine #24, Arc-Com 2: Arc-Com Carnival AC-69394 Color Kiwi #5, Architex 1: Architex Cool Comfort Color Mojito, Momentum 1: Momentum Beeline Color Sundance</p>			None
46.	2	L9	2	Adjustable Height Ottoman	<p>Turnstone Buoy - 18" dia, Upholstered Cap with polyurethane base, Pnuematic Adjustable height of 17"-22.5", Curved Base tilts up to 12 degrees. COLOR SELECTIONS: Base in Element 6337, Upholstered Cushion in Steelcase Buzz 2 Color Cyan 5G61</p>			None

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
47.	2	L18	1	VA Suite Sectional	<p>Coalesse Bix - sectional seating per attached drawing. Angled back screen is fully upholstered with a zipper detail. Legs are constructed of steel tubing and steel plates. Seats are upholstered with contrasting fabric, Cushions are constructed of high density state of the art foam that is fire resistant; include ganging devices to connect the three components. See attached drawings COLOR SELECTIONS: Platinum Metallic Legs, See attached plan and 3D drawings for locations of Fabrics; Fabric Legend as follows: Momentum 1: Momentum Silica Etch Color Mink, Maharam 1: Maharam Carapace 466261 Color 005 hella Jongerius, Arc-Com 1: Arc-Com Spectrum AC-69702 Color Mango #13</p> <p>If bidding alternate: Make: _____ Model: _____ Warranty: _____</p>			Yes, see Alternate Offerings above

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
Group 3								
48.	3	D1	57	Typical Office Desk	<p>OFS Brands First Office Staks -Laminate used on Horizontal surfaces to be High pressure laminate with square 3mm PVC Edge. Worksurface tops to be minimum of 1.125" thick. Laminate used on all exposed vertical surfaces to be thermally-fused laminate or Low Pressure Laminate with square 3mm PVC edge. Scratch free matte finish on all units. Drawers should have full extension with over travel and progressive action slides with steel ball bearing suspensions. Drawers constructed of engineered composite wood material with mitered corners and reinforced drawer bottoms. Office consists of (1) 36" x 72" Desk Worksurface, (1) 24" x 48" Bridge worksurface, (1) 22" x 96" credenza worksurface, (1) 30" Multi-File with 1 lateral, 1 file, and 2 box drawers, (1) Hinged Door Overhead, (1) 40" Storage cabinet with pull-out wardrobe, 2 lateral files, and adjustable shelves; Desk and Return worksurfaces are height adjustable with an electronic lift, a worksurface mounted tackboard allows for movement with height adjustable desk, 15" laminate modesty mounted to desk worksurface; The Storage Wardrobe cabinet is custom 84" height; Overhead is mounted at 84" to top of unit to align with storage cabinet; Electronic Lift: First Office Applause Electrical Height Adjustable base, offset in Silver with Classic control panel and tubular glide foot. Silver color to be on all components of leg even when raised to full height, Height Range: 26.25" - 45.875" for a total range of 19.625"; 6 offices with field cutting required around columns or walls; Grommet located at back center of Bridge; 1 Lateral file per office must be lockable; All products to be US Made and require an 8-10 week max lead time; 12 year warranty Refer to Drawings attached</p> <p>COLOR SELECTIONS: Worksurfaces: FW2 Frosty White with matching PVC edge, Storage Chassis and Fronts: FW2 Frosty White, Support Panels: FW2 Frosty White, All surfaces on Overheads and Storage Wardrobe: HNP Honey Maple, Modesty: FN2 Frosty White, Metal Accents: MTL Metallic, Pulls: Parallel in MTL Metallic, Tackboard:</p>			Yes, see Alternate Offerings above - Kimball and Knoll Case-goods, for others contact AMR

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
					Momentum Textiles Tradition Sun If bidding alternate: Make: _____ Model: _____ Warranty: _____			
49.	3	D2	7	Directors Office	OFS Brands First Office Staks -Laminate used on Horizontal surfaces to be High pressure laminate with square 3mm PVC Edge. Worksurface tops to be minimum of 1.125" thick. Laminate used on all exposed vertical surfaces to be thermally-fused laminate or Low Pressure Laminate with square 3mm PVC edge. Scratch free matte finish on all units. Drawers should have full extension with over travel and progressive action slides with steel ball bearing suspensions. Drawers constructed of engineered composite wood material with mitered corners and reinforced drawer bottoms. Office consists of (1) 36" x 84" Desk Worksurface, (1) 24" x 48" Bridge worksurface, (1) 22" x 144" (overall size) credenza worksurface, (1) Box Box File, (1) 30" Lateral File Unit, (1) 36" cabinet with two doors and interior adjustable shelf, (1) 36" Storage cabinet with pull-out wardrobe, 1 lateral file, and adjustable shelves, (2) 36" Storage Cabinets with 2 Lateral files below and bookshelves above, (1) 42" dia meeting table with Deuce Base; Desk and Return worksurfaces are height adjustable with an electronic lift, 15" laminate modesty mounted to desk worksurface; The Storage cabinets are custom 84" height; Electronic Lift: First Office Applause Electrical Height Adjustable base, offset in Silver with Classic control panel and tubular glide foot. Silver color to be on all components of leg even when raised to full height, Height Range: 26.25" - 45.875" for a total range of 19.625"; 5 offices with field cutting required around columns or walls; Grommet located at back center of Bridge; 1 Lateral file per office must be lockable; All products to be US Made and require an 8-10 week max lead time; 12 year warranty Refer to Drawings attached COLOR SELECTIONS: Worksurfaces: HNP Honey Maple with matching PVC			Yes, see Alternate Offerings above - Kimball and Knoll Case-goods, for others contact AMR

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
					edge, Storage Chassis and Fronts: HNP Honey Maple, Support Panels: HNP Honey Maple, All surfaces for storage wall: HNP Honey Maple, Modesty: HNP Honey Maple, Metal Accents: MTL Metallic, Pulls: Parallel in MTL Metallic, Round Table Top: HNP Honey Maple, Table Base: Deuce Metallic MTL If bidding alternate: Make: _____ Model: _____ Warranty: _____			
50.	3	D3	3	Large Office - Admissions	OFS Brands First Office Staks -Laminate used on Horizontal surfaces to be High pressure laminate with square 3mm PVC Edge. Worksurface tops to be minimum of 1.125" thick. Laminate used on all exposed vertical surfaces to be thermally-fused laminate or Low Pressure Laminate with square 3mm PVC edge. Scratch free matte finish on all units. Drawers should have full extension with over travel and progressive action slides with steel ball bearing suspensions. Drawers constructed of engineered composite wood material with mitered corners and reinforced drawer bottoms. Office consists of (1) 36" x 84" Desk Worksurface, (1) 24" x 48" Bridge worksurface, (1) 22" x 102" (overall size) credenza worksurface, (1) Box Box File, (1) 30" Lateral File Unit, (1) 36" Storage cabinet with pull-out wardrobe, 1 lateral file, and adjustable shelves, (2) 36" Storage Cabinets with 2 Lateral files below and bookshelves above; Desk and Return worksurfaces are height adjustable with an electronic lift, a worksurface mounted tackboard allows for movement with height adjustable desk, 15" laminate modesty mounted to desk worksurface; The Storage cabinets are custom 84" height; Electronic Lift: First Office Applause Electrical Height Adjustable base, offset in Silver with Classic control panel and tubular glide foot. Silver color to be on all components of leg even when raised to full height, Height Range: 26.25" - 45.875" for a total range of 19.625"; Field cutting required			Yes, see Alternate Offerings above - Kimball and Knoll Case-goods, for others contact AMR

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
					<p>around columns or walls; Grommet located at back center of Bridge; 1 Lateral file per office must be lockable; All products to be US Made and require an 8-10 week max lead time; 12 year warranty Refer to Drawings attached</p> <p>COLOR SELECTIONS: Worksurfaces: HNP Honey Maple with matching PVC edge, Storage Chassis and Fronts: HPN Honey Maple, Support Panels: HNP Honey Maple, All Surfaces for Storage Wall: HNP Honey Maple, Modesty: HNP Honey Maple, Metal Accents: MTL Metallic, Pulls: Parallel in MTL Metallic, Tackboard: Momentum Tradition Ash</p> <p>If bidding alternate: Make: _____ Model: _____ Warranty: _____</p>			
51.	3	D4	1	Directors Office - Student Accounts	<p>OFS Brands First Office Staks -Laminate used on Horizontal surfaces to be High pressure laminate with square 3mm PVC Edge. Worksurface tops to be minimum of 1.125" thick. Laminate used on all exposed vertical surfaces to be thermally-fused laminate or Low Pressure Laminate with square 3mm PVC edge. Scratch free matte finish on all units. Drawers should have full extension with over travel and progressive action slides with steel ball bearing suspensions. Drawers constructed of engineered composite wood material with mitered corners and reinforced drawer bottoms. Office consists of (1) 36" x 84" Desk Worksurface, (1) 24" x 48" Bridge worksurface, (1) 22" x 144" (overall size) credenza worksurface, (1) Box Box File, (1) 30" Lateral File Unit, (1) 36" cabinet with two doors and interior adjustable shelf, (1) 36" Storage cabinet with pull-out wardrobe, 1 lateral file, and adjustable shelves, (1) 36" Storage Cabinet with 2 Lateral files below and bookshelves above, (2) 36" wide Bookcase ; Desk and Return worksurfaces are height adjustable with an electronic lift, 15" laminate modesty mounted to desk worksurface; The Storage cabinets and bookcases are custom 84" height; Electronic Lift: First Office Applause</p>			Yes, see Alternate Offerings above - Kimball and Knoll Case-goods, for others contact AMR

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
					<p>Electrical Height Adjustable base, offset in Silver with Classic control panel and tubular glide foot. Silver color to be on all components of leg even when raised to full height, Height Range: 26.25" - 45.875" for a total range of 19.625"; Field cutting required around columns or walls; Grommet located at back center of Bridge; 1 Lateral file per office must be lockable; All products to be US Made and require an 8-10 week max lead time; 12 year warranty Refer to Drawings attached COLOR SELECTIONS: Worksurfaces: HNP Honey Maple with matching PVC edge, Storage Chassis and Fronts: HNP Honey Maple, Support Panels: HNP Honey Maple, All surfaces for bookcases and storage wall: HNP Honey Maple, Modesty: HNP Honey Maple, Metal Accents: MTL Metallic, Pulls: Parallel in MTL Metallic If bidding alternate: Make: _____ Model: _____ Warranty: _____</p>			
52.	3	D5	1	Directors Office - Budget	<p>OFS Brands First Office Staks -Laminate used on Horizontal surfaces to be High pressure laminate with square 3mm PVC Edge. Worksurface tops to be minimum of 1.125" thick. Laminate used on all exposed vertical surfaces to be thermally-fused laminate or Low Pressure Laminate with square 3mm PVC edge. Scratch free matte finish on all units. Drawers should have full extension with over travel and progressive action slides with steel ball bearing suspensions. Drawers constructed of engineered composite wood material with mitered corners and reinforced drawer bottoms. Office consists of (1) 36" x 84" Desk Worksurface, (1) 24" x 48" Bridge worksurface, (1) 22" x 144" (overall size) credenza worksurface, (1) Box Box File, (1) 30" Lateral File Unit, (1) 36" cabinet with two doors and interior adjustable shelf, (3) 30" wide x 29" h Bookcases, (1) 42" dia meeting table with Deuce Base; Desk and Return worksurfaces are height adjustable with an electronic lift, 15" laminate modesty mounted to desk worksurface; Electronic Lift: First Office Applause Electrical</p>			Yes, see Alternate Offerings above - Kimball and Knoll Case-goods, for others contact AMR

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
					<p>Height Adjustable base, offset in Silver with Classic control panel and tubular glide foot. Silver color to be on all components of leg even when raised to full height, Height Range: 26.25" - 45.875" for a total range of 19.625"; Field cutting required around columns or walls; Grommet located at back center of Bridge; 1 Lateral file per office must be lockable; All products to be US Made and require an 8-10 week max lead time; 12 year warranty Refer to Drawings attached COLOR SELECTIONS: Worksurfaces: HNP Honey Maple with matching PVC edge, Storage Chassis and Fronts: HNP Honey Maple, Support Panels: HNP Honey Maple, All surfaces for bookcases: HNP Honey Maple, Modesty: HNP Honey Maple, Metal Accents: MTL Metallic, Pulls: Parallel in MTL Metallic, Round Table: HNP Honey Maple, Table Base: Deuce Metallic MTL</p> <p>If bidding alternate: Make: _____ Model: _____ Warranty: _____</p>			
53.	3	D6	1	Directors Office - Payroll	<p>OFS Brands First Office Staks -Laminate used on Horizontal surfaces to be High pressure laminate with square 3mm PVC Edge. Worksurface tops to be minimum of 1.125" thick. Laminate used on all exposed vertical surfaces to be thermally-fused laminate or Low Pressure Laminate with square 3mm PVC edge. Scratch free matte finish on all units. Drawers should have full extension with over travel and progressive action slides with steel ball bearing suspensions. Drawers constructed of engineered composite wood material with mitered corners and reinforced drawer bottoms. Office consists of (1) 36" x 84" Desk Worksurface, (1) 24" x 48" Bridge worksurface, (1) 22" x 144" (overall size) credenza worksurface, (1) Box Box File, (1) 30" Lateral File Unit, (1) 36" Custom Lateral File where top drawer is custom printer drawer, grommet located in back of cabinet for cords - see attached drawing, (1) 36" Storage cabinet with pull-out wardrobe, 1 lateral file, and adjustable shelves, (2) 36" Storage Cabinets with 2</p>			Yes, see Alternate Offerings above - Kimball and Knoll Case-goods, for others contact AMR

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
					<p>Lateral files below and bookshelves above, (1) 42" dia meeting table with Deuce Base; Desk and Return worksurfaces are height adjustable with an electronic lift, 15" laminate modesty mounted to desk worksurface; The Storage cabinets are custom 84" height; Electronic Lift: First Office Applause Electrical Height Adjustable base, offset in Silver with Classic control panel and tubular glide foot. Silver color to be on all components of leg even when raised to full height, Height Range: 26.25" - 45.875" for a total range of 19.625"; Field cutting required around columns or walls; Grommet located at back center of Bridge; 1 Lateral file per office must be lockable; All products to be US Made and require an 8-10 week max lead time; 12 year warranty Refer to Drawings attached</p> <p>COLOR SELECTIONS: Worksurfaces: HNP Honey Maple with matching PVC edge, Storage Chassis and Fronts: HNP Honey Maple, Support Panels: HNP Honey Maple, All surfaces for storage wall: HNP Honey Maple, Modesty: HNP Honey Maple, Metal Accents: MTL Metallic, Pulls: Parallel in MTL Metallic, Round Table: HNP Honey Maple, Table Base: Deuce Metallic MTL</p> <p>If bidding alternate: Make: _____ Model: _____ Warranty: _____</p>			

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
54.	3	D7	1	Reception Desk - Upward Bound	<p>OFS Brands First Office Staks -Laminate used on Horizontal surfaces to be High pressure laminate with square 3mm PVC Edge. Worksurface tops to be minimum of 1.125" thick. Laminate used on all exposed vertical surfaces to be thermally-fused laminate or Low Pressure Laminate with square 3mm PVC edge. Scratch free matte finish on all units. Drawers should have full extension with over travel and progressive action slides with steel ball bearing suspensions. Drawers constructed of engineered composite wood material with mitered corners and reinforced drawer bottoms. Desk consists of: (1) 30" x 84" Desk Worksurface, (1) 24" x 48" Bridge Worksurface, (1) 22" x 96" Credenza Worksurface, (1) 30" Multi-File with 1 lateral, 1 file, and 2 box drawers; All worksurfaces are fixed height, and have full front and side modesties; Grommet located at back center of Bridge; 1 Lateral file per office must be lockable; All products to be US Made and require an 8-10 week max lead time; 12 year warranty Refer to Drawings attached COLOR SELECTIONS: Worksurfaces: HNP Honey Maple, Storage Chassis and Fronts: HNP Honey Maple, Support Panels: HNP Honey Maple, Modesty: HNP Honey Maple, Metal Accents: MTL Metallic, Pulls: Parallel in MTL Metallic,</p> <p>If bidding alternate: Make: _____ Model: _____ Warranty: _____</p>			Yes, see Alternate Offerings above - Kimball and Knoll Case-goods, for others contact AMR

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
55.	3	D9	1	Reception Desk - VA Suite	<p>OFS Brands First Office Staks -Laminate used on Horizontal surfaces to be High pressure laminate with square 3mm PVC Edge. Worksurface tops to be minimum of 1.125" thick. Laminate used on all exposed vertical surfaces to be thermally-fused laminate or Low Pressure Laminate with square 3mm PVC edge. Scratch free matte finish on all units. Space Divider panels and spine walls are 1" thick and installed using Clean Seam Connector Kits. Drawers should have full extension with over travel and progressive action slides with steel ball bearing suspensions. Drawers constructed of engineered composite wood material with mitered corners and reinforced drawer bottoms. Office consists of (1) 30" x 72" Desk Worksurface, (1) 24" x 48" Bridge worksurface, (1) 22" x 84" credenza worksurface, (1) 30" Multi-File with 1 lateral, 1 file, and 2 box drawers, (2) 48" w x 48"h Privacy panels with Acrylic Up mount; All worksurfaces are fixed height, and have full front and side modesties; Grommet located at back center of Bridge; 1 Lateral file per office must be lockable; All products to be US Made and require an 8-10 week max lead time; 12 year warranty Refer to Drawings attached COLOR SELECTIONS: Worksurfaces: FW2 Frosty White with matching PVC Edge, Storage Chassis and Fronts: FW2 Frosty White, Support Panels: FW2 Frosty White, Divider Panel: HNP Honey with Frosted Acrylic, Modesty: FW2 Frosty White, Metal Accents: MTL Metallic, Pulls: Parallel in MTL Metallic</p> <p>If bidding alternate: Make: _____ Model: _____ Warranty: _____</p>			Yes, see Alternate Offerings above - Kimball and Knoll Case-goods, for others contact AMR

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
56.	3	D10	1	Misc. Desk - VA Suite	<p>OFS Brands First Office Staks -Laminate used on Horizontal surfaces to be High pressure laminate with square 3mm PVC Edge. Worksurface tops to be minimum of 1.125" thick. Laminate used on all exposed vertical surfaces to be thermally-fused laminate or Low Pressure Laminate with square 3mm PVC edge. Scratch free matte finish on all units. Drawers should have full extension with over travel and progressive action slides with steel ball bearing suspensions. Drawers constructed of engineered composite wood material with mitered corners and reinforced drawer bottoms. Office consists of (1) 30" x 72" Desk Worksurface, (1) 24" x 48" Bridge worksurface, (1) 22" x 96" credenza worksurface, (1) 30" Multi-File with 1 lateral, 1 file, and 2 box drawers, (1) Hinged Door Overhead, (1) 30" lateral file unit, (1) 30" Storage Cabinet with 2 lateral files, and closed door storage above with 3 adjustable height shelves inside; Desk and Return worksurfaces are height adjustable with an electronic lift, 15" laminate modesty mounted to desk worksurface; The Storage cabinet is custom 84" height; Overhead is mounted at 84" to top of unit to align with storage cabinet and has large custom size tackboard that runs from below the overhead to the top of the worksurface and the length of the overhead; Electronic Lift: First Office Applause Electrical Height Adjustable base, offset in Silver with Classic control panel and tubular glide foot. Silver color to be on all components of leg even when raised to full height, Height Range: 26.25" - 45.875" for a total range of 19.625"; Grommet located at back center of Bridge. All products to be US Made and require an 8-10 week max lead time; 12 year warranty Refer to Drawings attached COLOR SELECTIONS: Worksurfaces: FW2 Frosty White with matching PVC edge, Overheads and Storage cabinet: HNP Honey Maple, Storage Chassis and fronts (Multi-file and Lateral): FW2 Frosty White, Support Panels: FW2 Frosty White, Modesty: FW2 Frosty White, Tackboard: Momentum Tradition Ash, Metal Accents: MTL Metallic, Pulls: Parallel in MTL Metallic</p> <p>If bidding alternate:</p>			Yes, see Alternate Offerings above - Kimball and Knoll Case-goods, for others contact AMR

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
					Make: _____ Model: _____ Warranty: _____			
57.	3	D11	1	Directors Office - VA Suite	<p>OFS Brands First Office Staks -Laminate used on Horizontal surfaces to be High pressure laminate with square 3mm PVC Edge. Worksurface tops to be minimum of 1.125" thick. Laminate used on all exposed vertical surfaces to be thermally-fused laminate or Low Pressure Laminate with square 3mm PVC edge. Scratch free matte finish on all units. Drawers should have full extension with over travel and progressive action slides with steel ball bearing suspensions. Drawers constructed of engineered composite wood material with mitered corners and reinforced drawer bottoms. Office consists of (1) 30" x 84" Desk Worksurface, (1) 24" x 42" Bridge worksurface, (1) 22" x 96" credenza worksurface, (1) 30" Multi-File with 1 lateral, 1 file, and 2 box drawers, (1) Box, Box File, (1) Hinged Door Overhead, (1) 22" x 60" table with File File and "O" leg Support; Desk and Return worksurfaces are height adjustable with an electronic lift, a worksurface mounted tackboard allows for movement with height adjustable desk, 15" laminate modesty mounted to desk worksurface; Electronic Lift: First Office Applause Electrical Height Adjustable base, offset in Silver with Classic control panel and tubular glide foot. Silver color to be on all components of leg even when raised to full height, Height Range: 26.25" - 45.875" for a total range of 19.625";Grommet located at back center of Bridge; 1 Lateral file per office must be lockable; 12 year warranty Refer to Drawings attached COLOR SELECTIONS: Worksurfaces: HNP Honey Maple with matching PVC edge, Storage Chassis and Fronts: HNP Honey Maple, Support Panels: HNP Honey Maple, All surfaces on Overhead: HNP Honey Maple, Table Top: HNP Honey Maple, Desk Leg: MTL Metallic, Modesty: HNP Honey</p>			Yes, see Alternate Offerings above - Kimball and Knoll Case-goods, for others contact AMR

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
					Maple, Metal Accents: MTL Metallic, Pulls: Parallel in MTL Metallic, Tackboard: Momentum Tradition Ash If bidding alternate: Make: _____ Model: _____ Warranty: _____			
58.	3	D12	1	Open Office - Budget	OFS Brands First Office Staks -Laminate used on Horizontal surfaces to be High pressure laminate with square 3mm PVC Edge. Worksurface tops to be minimum of 1.125" thick. Laminate used on all exposed vertical surfaces to be thermally-fused laminate or Low Pressure Laminate with square 3mm PVC edge. Scratch free matte finish on all units. Drawers should have full extension with over travel and progressive action slides with steel ball bearing suspensions. Drawers constructed of engineered composite wood material with mitered corners and reinforced drawer bottoms. Office consists of (1) 30" x 72" Desk Worksurface, (1) 24" x 48" Bridge worksurface, (1) 22" x 72" credenza worksurface, (1) 30" Multi-File with 1 lateral, 1 file, and 2 box drawers, (1) Box, Box File, (1) Hinged Door Overhead; Overhead is mounted at 84" to top of unit to align with storage cabinet and has large custom size tackboard that runs from below the overhead to the top of the worksurface and the length of the overhead; Desk and Return worksurfaces are height adjustable with an electronic lift, 15" laminate modesty mounted to desk worksurface; Electronic Lift: First Office Applause Electrical Height Adjustable base, offset in Silver with Classic control panel and tubular glide foot. Silver color to be on all components of leg even when raised to full height, Height Range: 26.25" - 45.875" for a total range of 19.625" Grommet located at back center of Bridge; 1 Lateral file per office must be lockable; All products to be US Made and require an 8-10 week max lead time; 12 year warranty Refer to Drawings attached COLOR SELECTIONS: Worksurfaces: FW2 Frosty White with matching PVC edge, Storage Chassis and Fronts: FW2 Frosty White, Support			Yes, see Alternate Offerings above - Kimball and Knoll Case-goods, for others contact AMR

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
					<p>Panels: FW2 Frosty White, All surfaces on Overheads: HNP Honey Maple, Front and Side Modesty: FN2 Frosty White, Metal Accents: MTL Metallic, Pulls: Parallel in MTL Metallic, Tackboard: Momentum Textiles Tradition Sun</p> <p>If bidding alternate: Make: _____ Model: _____ Warranty: _____</p>			
59.	3	D13	1	Back to Back Desk Unit - Budget	<p>OFS Brands First Office Staks and Herman Miller Canvas Office - Spec for Staks: Laminate used on Horizontal surfaces to be High pressure laminate with square 3mm PVC Edge. Worksurface tops to be minimum of 1.125" thick. Laminate used on all exposed vertical surfaces to be thermally-fused laminate or Low Pressure Laminate with square 3mm PVC edge. Scratch free matte finish on all units. Drawers should have full extension with over travel and progressive action slides with steel ball bearing suspensions. Drawers constructed of engineered composite wood material with mitered corners and reinforced drawer bottoms. Office consists of (1) 30" x 72" Desk Worksurface, (1) 24" x 48" Bridge worksurface, (1) 22" x 72" credenza worksurface, (1) 30" Multi-File with 1 lateral, 1 file, and 2 box drawers, (1) Box, Box File; Desk and Return worksurfaces are height adjustable with an electronic lift, 15" laminate modesty mounted to desk worksurface; Electronic Lift: First Office Applause Electrical Height Adjustable base, offset in Silver with Classic control panel and tubular glide foot. Silver color to be on all components of leg even when raised to full height, Height Range: 26.25" - 45.875" for a total range of 19.625"; Grommet located at back center of Bridge; 1 Lateral file per office must be lockable; All products to be US Made and require an 8-10 week max lead time; 12 year warranty; Herman Miller Canvas Office Wall panels: Product consists of: (2) 36"w x 52" h tackboard covered wall panels, (1) 30" w x 52"h tackboard covered wall panels, (2) 51"w x 14.75" h Custom Up mounted Open laminate storage units, 1</p>			Yes, see Alternate Offerings above - Kimball and Knoll Case-goods, for others contact AMR

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
					<p>facing each side of back to back desk; Wall panels constructed of metal frame with basefeed power, 15 amp 4 circuit baseline receptacles per side, Covered with full height tackable fabric panels; Refer to Drawings attached</p> <p>COLOR SELECTIONS: Stacks: Worksurfaces: FW2 Frosty White with matching PVC edge, Storage Chassis and Fronts: FW2 Frosty White, Support Panels: FW2 Frosty White, All surfaces on Overheads and Storage Wardrobe: HNP Honey Maple, Modesty: FN2 Frosty White, Metal Accents: MTL Metallic, Pulls: Parallel in MTL Metallic; Action Office: Wall Frame: Metallic Silver, Overhead Storage Laminate: Studio White 98, Tackboard Fabric: Crossing Shale 8T19</p> <p>If bidding alternate: Make: _____ Model: _____ Warranty: _____</p>			
60.	3	D14	2	Open Office - Budget	<p>OFS Brands First Office Staks -Laminate used on Horizontal surfaces to be High pressure laminate with square 3mm PVC Edge. Worksurface tops to be minimum of 1.125" thick. Laminate used on all exposed vertical surfaces to be thermally-fused laminate or Low Pressure Laminate with square 3mm PVC edge. Scratch free matte finish on all units. Space Divider panels and spine walls are 1" thick and installed using Clean Seam Connector Kits. Drawers should have full extension with over travel and progressive action slides with steel ball bearing suspensions. Drawers constructed of engineered composite wood material with mitered corners and reinforced drawer bottoms. Office consists of (1) 30" x 72" Desk Worksurface, (1) 24" x 48" Bridge worksurface, (1) 22" x 72" credenza worksurface, (1) 30" Multi-File with 1 lateral, 1 file, and 2 box drawers, (1) Box, Box File, (1) Hinged Door Overhead; Overhead is mounted at 84" to top of unit to align with storage cabinet and has large custom size tackboard that runs from below the overhead to the top of the worksurface and the length of the overhead; Desk</p>			Yes, see Alternate Offerings above - Kimball and Knoll Case-goods, for others contact AMR

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
					<p>and Return worksurfaces are height adjustable with an electronic lift, 15" laminate modesty mounted to desk worksurface, Modesty panel mounted at center of panel vertically, and across bridge and edge of desk, see drawings; Electronic Lift: First Office Applause Electrical Height Adjustable base, offset in Silver with Classic control panel and tubular glide foot. Silver color to be on all components of leg even when raised to full height, Height Range: 26.25" - 45.875" for a total range of 19.625" Grommet located at back center of Bridge; Grommet located at back center of Bridge; 1 Lateral file per office must be lockable; All products to be US Made and require an 8-10 week max lead time; 12 year warranty; Refer to Drawings attached COLOR SELECTIONS: Worksurfaces: FW2 Frosty White with matching PVC Edge, Storage Chassis and Fronts: FW2 Frosty White, Support Panels: FW2 Frosty White, All Surfaces on Overhead: HNP Honey Maple, Small Privacy Panel: FW2 Frosty White, Both Modesty Panels: FW2 Frosty White, Metal Accents: MTL Metallic, Pulls: Parallel in MTL Metallic, Tackboard: Momentum Tradition Sun</p> <p>If bidding alternate: Make: _____ Model: _____ Warranty: _____</p>			
61.	3	D15	1	Open Office - Budget	<p>OFS Brands First Office Staks -Laminate used on Horizontal surfaces to be High pressure laminate with square 3mm PVC Edge. Worksurface tops to be minimum of 1.125" thick. Laminate used on all exposed vertical surfaces to be thermally-fused laminate or Low Pressure Laminate with square 3mm PVC edge. Scratch free matte finish on all units. Drawers should have full extension with over travel and progressive action slides with steel ball bearing suspensions. Drawers constructed of engineered composite wood material with mitered corners and reinforced drawer bottoms. Office consists of (1) 30" x 72" Desk Worksurface, (1) 24" x 48" Bridge worksurface, (1)</p>			Yes, see Alternate Offerings above - Kimball and Knoll Case-goods, for others contact

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
					<p>22" x 72" credenza worksurface, (1) 30" Multi-File with 1 lateral, 1 file, and 2 box drawers, (1) Hinged Door Overhead, (1) Box Box File; Desk and Return worksurfaces are height adjustable with an electronic lift, a worksurface mounted tackboard allows for movement with height adjustable desk, 15" laminate modesty mounted to desk worksurface; Overhead is mounted at 84" to top; Electronic Lift: First Office Applause Electrical Height Adjustable base, offset in Silver with Classic control panel and tubular glide foot. Silver color to be on all components of leg even when raised to full height, Height Range: 26.25" - 45.875" for a total range of 19.625"; Grommet located at back center of Bridge; 1 Lateral file per office must be lockable; All products to be US Made and require an 8-10 week max lead time; 12 year warranty; Refer to Drawings attached</p> <p>COLOR SELECTIONS: Worksurfaces: FW2 Frosty White with matching PVC edge, Storage Chassis and Fronts: FW2 Frosty White, Support Panels: FW2 Frosty White, All surfaces on Overheads: HNP Honey Maple, Modesty: FN2 Frosty White, Metal Accents: MTL Metallic, Pulls: Parallel in MTL Metallic, Tackboard: Momentum Textiles Tradition Sun</p> <p>If bidding alternate: Make: _____ Model: _____ Warranty: _____</p>			AMR
62.	3	D16	1	Open Office - Budget	<p>OFS Brands First Office Staks -Laminate used on Horizontal surfaces to be High pressure laminate with square 3mm PVC Edge. Worksurface tops to be minimum of 1.125" thick. Laminate used on all exposed vertical surfaces to be thermally-fused laminate or Low Pressure Laminate with square 3mm PVC edge. Scratch free matte finish on all units. Drawers should have full extension with over travel and progressive action slides with steel ball bearing suspensions. Drawers constructed of engineered</p>			Yes, see Alternate Offerings above - Kimball and Knoll Case-goods,

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
					<p>composite wood material with mitered corners and reinforced drawer bottoms. Office consists of (1) 30" x 72" Desk Worksurface, (1) 24" x 48" Bridge worksurface, (1) 22" x 72" credenza worksurface, (1) 30" Multi-File with 1 lateral, 1 file, and 2 box drawers, (1) Hinged Door Overhead, (1) Box Box File; Desk and Return worksurfaces are height adjustable with an electronic lift, a worksurface mounted tackboard allows for movement with height adjustable desk, 15" laminate modesty mounted to desk worksurface, Full back panel mounted below worksurface at credenza to conceal backside credenza in open office layout; Overhead is mounted at 84" to top; Electronic Lift: First Office Applause Electrical Height Adjustable base, offset in Silver with Classic control panel and tubular glide foot. Silver color to be on all components of leg even when raised to full height, Height Range: 26.25" - 45.875" for a total range of 19.625"; Grommet located at back center of Bridge; 1 Lateral file per office must be lockable; All products to be US Made and require an 8-10 week max lead time; 12 year warranty; Refer to Drawings attached</p> <p>COLOR SELECTIONS: Worksurfaces: FW2 Frosty White with matching PVC edge, Storage Chassis and Fronts: FW2 Frosty White, Support Panels: FW2 Frosty White, All surfaces on Overheads: HNP Honey Maple, Modesty: FN2 Frosty White, Metal Accents: MTL Metallic, Pulls: Parallel in MTL Metallic, Tackboard: Momentum Textiles Tradition Sun</p> <p>If bidding alternate: Make: _____ Model: _____ Warranty: _____</p>			for others contact AMR
63.	3	D17	1	Reception - Human Resources	<p>OFS Brands First Office Staks -Laminate used on Horizontal surfaces to be High pressure laminate with square 3mm PVC Edge. Worksurface tops to be minimum of 1.125" thick. Laminate used on all exposed vertical surfaces to be thermally-fused laminate or Low Pressure Laminate with square 3mm PVC edge. Scratch free matte</p>			Yes, see Alternate Offerings above - Kimball and

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
					<p>finish on all units. Drawers should have full extension with over travel and progressive action slides with steel ball bearing suspensions. Drawers constructed of engineered composite wood material with mitered corners and reinforced drawer bottoms. Office consists of (1) 30" x 84" desk worksurface, (1) 22" x 96" Credenza worksurface, (2) 30" lateral file units, (1) 36" cabinet with doors and adjustable shelf, (1) Box Box File, (1) File File, (1) 96" overhead; Fixed Worksurfaces; Full Front and Side modesties on Desk Unit; Overhead mounted 84" to top of unit, No tackboard; Coordinate grommet location in field with Designer and IT; 1 Lateral file per office must be lockable; All products to be US Made and require an 8-10 week max lead time; 12 year warranty; Refer to Drawings attached COLOR SELECTIONS: Worksurfaces: HNP Honey Maple with matching PVC Edge, Storage Chassis and Fronts: HNP Honey Maple, Support panels: HNP Honey Maple, Overhead: HNP Honey Maple, Full Height Front and Side Modesty: HNP Honey Maple, Metal Accents: MTL Metallic, Pulls: Parallel in MTL Metallic</p> <p>If bidding alternate: Make: _____ Model: _____ Warranty: _____</p>			Knoll Case-goods, for others contact AMR
64.	3	D18	1	Open Office - Budget	<p>OFS Brands First Office Staks -Laminate used on Horizontal surfaces to be High pressure laminate with square 3mm PVC Edge. Worksurface tops to be minimum of 1.125" thick. Laminate used on all exposed vertical surfaces to be thermally-fused laminate or Low Pressure Laminate with square 3mm PVC edge. Scratch free matte finish on all units. Space Divider panels and spine walls are 1" thick and installed using Clean Seam Connector Kits. Drawers should have full extension with over travel and progressive action slides with steel ball bearing suspensions. Drawers constructed of engineered composite wood material with mitered corners and reinforced drawer bottoms. Office consists of (1) 30" x 72"</p>			Yes, see Alternate Offerings above - Kimball and Knoll Case-goods, for others contact AMR

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
					<p>Desk Worksurface, (1) 24" x 48" Bridge worksurface, (1) 22" x 72" credenza worksurface, (1) 30" Multi-File with 1 lateral, 1 file, and 2 box drawers, (1) Box Box File; Desk and Return worksurfaces are height adjustable with an electronic lift, 15" laminate modesty mounted to desk worksurface, Full panel mounted below worksurface at credenza back to conceal backside credenza in open office layout; Electronic Lift: First Office Applause Electrical Height Adjustable base, offset in Silver with Classic control panel and tubular glide foot. Silver color to be on all components of leg even when raised to full height, Height Range: 26.25" - 45.875" for a total range of 19.625"; Grommet located at back center of Bridge; 1 Lateral file per office must be lockable; All products to be US Made and require an 8-10 week max lead time; 12 year warranty; Refer to Drawings attached COLOR SELECTIONS: Worksurfaces: FW2 Frosty White with matching PVC Edge, Storage Chassis and Fronts: FW2 Frosty White, Support Panels: FW2 Frosty White, Modesty: FW2 Frosty White, Metal Accents: MTL Metallic, Pulls: Parallel in MTL Metallic If bidding alternate: Make: _____ Model: _____ Warranty: _____</p>			
65.	3	D19	1	Typical Office Desk- With adjustment	<p>OFS Brands First Office Staks -Laminate used on Horizontal surfaces to be High pressure laminate with square 3mm PVC Edge. Worksurface tops to be minimum of 1.125" thick. Laminate used on all exposed vertical surfaces to be thermally-fused laminate or Low Pressure Laminate with square 3mm PVC edge. Scratch free matte finish on all units. Drawers should have full extension with over travel and progressive action slides with steel ball bearing suspensions. Drawers constructed of engineered composite wood material with mitered corners and reinforced drawer bottoms. Office consists of (1) 36" x 72" Desk Worksurface, (1) 24" x 48" Bridge worksurface, (1) 22" x 96" credenza worksurface, (1) 30" Multi-File with 1</p>			Yes, see Alternate Offerings above - Kimball and Knoll Case-goods, for others contact AMR

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
					<p>lateral, 1 file, and 2 box drawers, (1) 30" Storage cabinet with pull-out wardrobe, 2 lateral file, and adjustable shelves, (1) 36" Storage Cabinets with 2 Lateral files below and bookshelves above; Desk and Return worksurfaces are height adjustable with an electronic lift, a work surface mounted tackboard allows for movement with height adjustable desk, 15" laminate modesty mounted to desk work surface; The Storage and Wardrobe cabinets is custom 84" height; Electronic Lift: First Office Applause Electrical Height Adjustable base, offset in Silver with Classic control panel and tubular glide foot. Silver color to be on all components of leg even when raised to full height, Height Range: 26.25" - 45.875" for a total range of 19.625"; Field cutting required around columns or walls; Grommet located at back center of Bridge; 1 Lateral file per office must be lockable; All products to be US Made and require an 8-10 week max lead time; 12 year warranty; Refer to Drawings attached COLOR SELECTIONS: Worksurfaces: FW2 Frosty White with matching PVC edge, Storage Chassis and Fronts: FW2 Frosty White, Support Panels: FW2 Frosty White, All surfaces on Storage Wardrobe: HNP Honey Maple, Modesty: FN2 Frosty White, Metal Accents: MTL Metallic, Pulls: Parallel in MTL Metallic, Tackboard: Momentum Textiles Tradition Su</p> <p>If bidding alternate: Make: _____ Model: _____ Warranty: _____</p>			
66.	3	D20	3	Typical Office Desk- With adjustment	<p>OFS Brands First Office Staks -Laminate used on Horizontal surfaces to be High pressure laminate with square 3mm PVC Edge. Work surface tops to be minimum of 1.125" thick. Laminate used on all exposed vertical surfaces to be thermally-fused laminate or Low Pressure Laminate with square 3mm PVC edge. Scratch free matte finish on all units. Drawers should have full extension with over travel and progressive action slides with steel ball bearing suspensions. Drawers constructed of engineered</p>			Yes, see Alternate Offerings above - Kimball and Knoll Case-goods,

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
					<p>composite wood material with mitered corners and reinforced drawer bottoms. Office consists of (1) 36" x 72" Desk Worksurface, (1) 24" x 48" Bridge worksurface, (1) 22" x 96" credenza worksurface, (1) 30" Multi-File with 1 lateral, 1 file, and 2 box drawers, (1) 30" Storage cabinet with pull-out wardrobe, 2 file drawers, and adjustable shelves, (1) Lateral file unit; Desk and Return worksurfaces are height adjustable with an electronic lift, a worksurface mounted tackboard allows for movement with height adjustable desk, 15" laminate modesty mounted to desk worksurface; The Storage Wardrobe cabinet is custom 84" height; Electronic Lift: First Office Applause Electrical Height Adjustable base, offset in Silver with Classic control panel and tubular glide foot. Silver color to be on all components of leg even when raised to full height, Height Range: 26.25" - 45.875" for a total range of 19.625"; All 3 offices with field cutting required around columns or walls; Grommet located at back center of Bridge; 1 Lateral file per office must be lockable; All products to be US Made and require an 8-10 week max lead time; 12 year warranty; Refer to Drawings attached COLOR SELECTIONS: Worksurfaces: FW2 Frosty White with matching PVC edge, Storage Chassis, Fronts, and Wardrobe: FW2 Frosty White, Support Panels: FW2 Frosty White, Modesty: FW2 Frosty White, Metal Accents: MTL Metallic, Pulls: Parallel in MTL Metallic, Tackboard: Momentum Textiles Tradition Sun</p> <p>If bidding alternate: Make: _____ Model: _____ Warranty: _____</p>			for others contact AMR

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
67.	3	D21	2	Typical Office Desk- With adjustment	<p>OFS Brands First Office Staks -Laminate used on Horizontal surfaces to be High pressure laminate with square 3mm PVC Edge. Worksurface tops to be minimum of 1.125" thick. Laminate used on all exposed vertical surfaces to be thermally-fused laminate or Low Pressure Laminate with square 3mm PVC edge. Scratch free matte finish on all units. Drawers should have full extension with over travel and progressive action slides with steel ball bearing suspensions. Drawers constructed of engineered composite wood material with mitered corners and reinforced drawer bottoms. Office consists of (1) 36" x 72" Desk Worksurface, (1) 24" x 48" Bridge worksurface, (1) 22" x 108" (overall size) credenza worksurface, (1) 30" Multi-File with 1 lateral, 1 file, and 2 box drawers, (1) Hinged Door Overhead, (1) 40" Storage cabinet with pull-out wardrobe, 2 lateral file, and adjustable shelves; Desk and Return worksurfaces are height adjustable with an electronic lift, 15" laminate modesty mounted to desk worksurface; The Storage Wardrobe cabinet is custom 84" height; Overhead is mounted at 84" to top of unit to align with storage cabinet and has large custom size tackboard that runs from below the overhead to the top of the worksurface and the length of the overhead; Electronic Lift: First Office Applause Electrical Height Adjustable base, offset in Silver with Classic control panel and tubular glide foot. Silver color to be on all components of leg even when raised to full height, Height Range: 26.25" - 45.875" for a total range of 19.625"; Both offices with field cutting required around columns or walls; Grommet located at back center of Bridge; 1 Lateral file per office must be lockable; All products to be US Made and require an 8-10 week max lead time; 12 year warranty; Refer to Drawings attached COLOR SELECTIONS: Worksurfaces: FW2 Frosty White with matching PVC edge, Storage Chassis and Fronts: FW2 Frosty White, Support Panels: FW2 Frosty White, All surfaces on Overheads and Storage Wardrobe: HNP Honey Maple, Modesty: FN2 Frosty White, Metal Accents: MTL Metallic, Pulls: Parallel in MTL Metallic, Tackboard: Momentum Textiles Tradition Sun</p>			Yes, see Alternate Offerings above - Kimball and Knoll Case-goods, for others contact AMR

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
					<p>If bidding alternate: Make: _____ Model: _____ Warranty: _____</p>			
68.	3	D22	1	Typical Office Desk- With adjustment	<p>OFS Brands First Office Staks -Laminate used on Horizontal surfaces to be High pressure laminate with square 3mm PVC Edge. Worksurface tops to be minimum of 1.125" thick. Laminate used on all exposed vertical surfaces to be thermally-fused laminate or Low Pressure Laminate with square 3mm PVC edge. Scratch free matte finish on all units. Drawers should have full extension with over travel and progressive action slides with steel ball bearing suspensions. Drawers constructed of engineered composite wood material with mitered corners and reinforced drawer bottoms. Office consists of (1) 36" x 72" Desk Worksurface, (1) 24" x 48" Bridge worksurface, (1) 22" x 96" credenza worksurface, (1) 30" Multi-File with 1 lateral, 1 file, and 2 box drawers, (2) 30" Lateral File Units; Desk and Return worksurfaces are height adjustable with an electronic lift, 15" laminate modesty mounted to desk worksurface; Electronic Lift: First Office Applause Electrical Height Adjustable base, offset in Silver with Classic control panel and tubular glide foot. Silver color to be on all components of leg even when raised to full height, Height Range: 26.25" - 45.875" for a total range of 19.625"; Grommet located at back center of Bridge; 1 Lateral file per office must be lockable; All products to be US Made and require an 8-10 week max lead time; 12 year warranty; Refer to Drawings attached COLOR SELECTIONS: Worksurfaces: FW2 Frosty White with matching PVC edge, Storage Chassis and Fronts: FW2 Frosty White, Support Panels: FW2 Frosty White, Modesty: FN2 Frosty White, Metal Accents: MTL Metallic, Pulls: Parallel in MTL Metallic, Tackboard: Momentum Textiles Tradition Sun</p>			Yes, see Alternate Offerings above - Kimball and Knoll Case-goods, for others contact AMR

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
					<p>If bidding alternate: Make: _____ Model: _____ Warranty: _____</p>			
69.	3	D23	1	Dr. Brown's Office	<p>OFS Brands First Office Cambria Laminate - Worksurfaces are 1.125" thick thermally fused laminate with high density fiberboard. Durable scratch resistant finish. Wood grained patterned drawer sides. Full extension drawers. Central Locking in all drawers. Grommet located at front center of desk. 12 year warranty; Refer to Drawings Attached COLOR SELECIONS: Laminate Color: QE2 Quartered Espresso. Asbury Antique Silver Pulls. If bidding alternate: Make: _____ Model: _____ Warranty: _____</p>			Yes, see Alternate Offerings above - Kimball and Knoll Case-goods
70.	3	WS 1	1	Worksurface - Scan Room	<p>Combination of OFS Brands First Office Staks & Herman Miller Action Office - Custom Workstations with wall to wall worksurfaces (First Office Staks) supported by wall track and cantilever system (Herman Miller Action Office) - Laminate used on Horizontal surfaces to be High pressure laminate with square 3mm PVC Edge. Worksurface tops to be minimum of 1.125" thick. Laminate used on all exposed vertical surfaces to be thermally-fused laminate or Low Pressure Laminate. Scratch free matte finish on all units. Drawers should have full extension with over travel and progressive action slides with steel ball bearing suspensions. Drawers constructed of engineered composite wood material with mitered corners and reinforced drawer bottoms. All worksurfaces should be supported with a bracket mounted into a wall strip which attaches with wall fasteners to the sheetrock wall and into wall studs. 2 grommets required per workstation for a total of 6, to be field installed, coordinate with Designer and IT;</p>			Yes, see Alternate Offerings above - Kimball and Knoll Case-goods, for others contact AMR

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
					<p>All products to be US Made and require an 8-10 week max lead time; 12 year warranty; Refer to Drawings attached COLOR SELECTIONS: Worksurfaces: FN2 Frosty White with matching PVC Edge, Storage Chassis and Fronts: HNP Honey Maple, Full Modesty Panels: HNP Honey Maple, Pulls: Parallel in MTL Metallic If bidding alternate: Make: _____ Model: _____ Warranty: _____</p>			
71.	3	WS 2	1	Worksurface - Student Accounts Open Office	<p>Combination of OFS Brands First Office Staks & Herman Miller Action Office - Custom Workstations with wall to wall worksurfaces (First Office Staks) supported by wall track and cantilever system (Herman Miller Action Office) - Laminate used on Horizontal surfaces to be High pressure laminate with square 3mm PVC Edge. Worksurface tops to be minimum of 1.125" thick. Laminate used on all exposed vertical surfaces to be thermally-fused laminate or Low Pressure Laminate. 42" high X 1" thick laminate vertical panels, 8" high x .25" thick Frosted acrylic panels attach to top of laminate vertical panel with saddle brackets (1"w x 1.344"d x 4.375"h) All divider walls installed using Clean Seam Connector Kits; Scratch free matte finish on all units. Drawers should have full extension with over travel and progressive action slides with steel ball bearing suspensions. Drawers constructed of engineered composite wood material with mitered corners and reinforced drawer bottoms. All worksurfaces should be supported with a bracket mounted into a wall strip which attaches with wall fasteners to the sheetrock wall and into wall studs. 2 grommets required per workstation for a total of 8, to be field installed, coordinate with Designer and IT; All products to be US Made and require an 8-10 week max lead time; 12 year warranty; Refer to Drawings attached COLOR SELECTIONS: Worksurfaces: FW2 Frosty White with matching PVC Edge, Storage Chassis and Fronts: HNP Honey Maple, Privacy Divider Panels: HNP Honey</p>			Yes, see Alternate Offerings above - Kimball and Knoll Case-goods, for others contact AMR

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
					<p>Maple with frosted acrylic top, Pulls: Parallel in MTL Metallic</p> <p>If bidding alternate: Make: _____</p> <p>Model: _____</p> <p>Warranty: _____</p>			
72.	3	WS 3	3	Worksurface - Tutor Rooms	<p>Combination of OFS Brands First Office Staks & Herman Miller Action Office - Custom Workstations with wall to wall worksurfaces (First Office Staks) supported by wall track and cantilever system (Herman Miller Action Office) - Laminate used on Horizontal surfaces to be High pressure laminate with square 3mm PVC Edge. Worksurface tops to be minimum of 1.125" thick. Laminate used on all exposed vertical surfaces to be thermally-fused laminate or Low Pressure Laminate. Scratch free matte finish on all units. Drawers should have full extension with over travel and progressive action slides with steel ball bearing suspensions. Drawers constructed of engineered composite wood material with mitered corners and reinforced drawer bottoms. All worksurfaces should be supported with a bracket mounted into a wall strip which attaches with wall fasteners to the sheetrock wall and wall studs. 1 grommet required per workstation for a total of 3, locate each grommet in the back center of each worksurface with file support; Each workstation also to include Pop-Up power unit with 2 power receptacles and 1 USB, locate power pop-up in back center of worksurface, location per drawings; Include wire management; All products to be US Made and require an 8-10 week max lead time; 12 year warranty; Refer to Drawings attached</p> <p>COLOR SELECTIONS: Worksurfaces: HNP Honey Maple with matching PVC Edge, Storage Chassis and Fronts: HNP Honey Maple, Pulls: Parallel in MTL Metallic, Power Pop-Up: Silver Metallic</p> <p>If bidding alternate: Make: _____</p>			Yes, see Alternate Offerings above - Kimball and Knoll Case-goods, for others contact AMR

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
					Model: _____ Warranty: _____			
73.	3	WS 4	1	Worksurface - Student Support Computer Stations	Combination of OFS Brands First Office Staks & Herman Miller Action Office - Custom Workstations with wall to wall worksurfaces (First Office Staks) supported by wall track and cantilever system (Herman Miller Action Office) - Laminate used on Horizontal surfaces to be High pressure laminate with square 3mm PVC Edge. Worksurface tops to be minimum of 1.125" thick. Laminate used on all exposed vertical surfaces to be thermally-fused laminate or Low Pressure Laminate with square 3mm PVC edge. Scratch free matte finish on all units. All worksurfaces should be supported with a bracket mounted into a wall strip which attaches with wall fasteners to the sheetrock wall and wall studs. 6 Grommets required, coordinate field installation with Designer and IT; Include wire management; All products to be US Made and require an 8-10 week max lead time; 12 year warranty; Refer to Drawings attached COLOR SELECTIONS: Worksurfaces: HNP Honey Maple with matching PVC Edge, End Support Panels: HNP Honey Maple If bidding alternate: Make: _____ Model: _____ Warranty: _____			Yes, see Alternate Offerings above - Kimball and Knoll Case-goods, for others contact AMR
74.	3	WS 5	1	Worksurface - Human Resources Shared Office	Combination of OFS Brands First Office Staks & Herman Miller Action Office - Custom Workstations with wall to wall worksurfaces (First Office Staks) supported by wall track and cantilever system (Herman Miller Action Office) - Laminate used on Horizontal surfaces to be High pressure laminate with square 3mm PVC Edge. Worksurface tops to be minimum of 1.125" thick. Laminate used on all exposed vertical surfaces and overheads to be thermally-fused laminate or Low Pressure Laminate; Scratch free matte			Yes, see Alternate Offerings above - Kimball and Knoll Case-goods,

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
					<p>finish on all units. Drawers should have full extension with over travel and progressive action slides with steel ball bearing suspensions. Drawers constructed of engineered composite wood material with mitered corners and reinforced drawer bottoms. All worksurfaces should be supported with a bracket mounted into a wall strip which attaches with wall fasteners to the sheetrock wall and wall studs. 1 grommet per workstation for a total of 2, located at the back center of each worksurface, coordinate install in field with Designer and IT; All products to be US Made and require an 8-10 week max lead time; 12 year warranty; Refer to Drawings attached COLOR SELECTIONS: Worksurfaces: FW2 Frosty White with matching PVC Edge, Storage Chassis and Fronts: FW2 Frosty White, All surfaces on Overheads: HNP Honey Maple, Tackboard: Momentum Tradition Sun, Pulls: Parallel in MTL Metallic</p> <p>If bidding alternate: Make: _____ Model: _____ Warranty: _____</p>			for others contact AMR
75.	3	WS 6	1	Worksurface - Budget File Tops	<p>OFS Brands First Office Staks - 2 worksurface countertops - First: 20"d x 100"L, Second: 41"d x 100" L - Countertops to be supported by metal lateral files not included in this item; Each top with center seam; Laminate used on Horizontal surfaces to be High pressure laminate with square 3mm PVC Edge. Worksurface tops to be minimum of 1.125" thick. Scratch free matte finish on all units. All products to be US Made and require an 8-10 week max lead time; 12 year warranty COLOR SELECTIONS: HNP Honey Maple with Matching PVC Edge</p> <p>If bidding alternate: Make: _____ Model: _____ Warranty: _____</p>			Yes, see Alternate Offerings above - Kimball and Knoll Case-goods, for others contact AMR

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
76.	3	U3	1	Student Support Book Display	<p>OFS Brands First Office Intermix Custom Display Cabinet. Custom cabinet 96" wide, 84" tall and 24" deep. Cabinets below to have flush front laminate doors with adjustable shelves and Bar pull. Top of case to be two inch framed tempered clear glass with 3 adjustable shelves. All doors to be lockable with one key. All products to be US Made and require an 8-10 week max lead time; 12 year warranty; Refer to Drawings attached COLOR SELECTIONS: Laminate: HNP Honey Maple, Pull A15 Era Polished Parallel</p> <p>If bidding alternate: Make: _____ Model: _____ Warranty: _____</p>			Yes, see Alternate Offerings above - Kimball and Knoll Case-goods, for others contact AMR
77.	3	BC 1	5	Bookcase in Admissions	<p>OFS Brands First Office Staks - 6-3672BC - 36" w x 14"d x 72" h - Bookcase with 3 adjustable shelves, 2 stationary shelves, and finished back; Thermally Fused laminate construction; All products to be US Made and require an 8-10 week max lead time COLOR SELECTIONS: FW2 Frosty White</p> <p>If bidding alternate: Make: _____ Model: _____ Warranty: _____</p>			Yes, see Alternate Offerings above - Kimball and Knoll Case-goods, for others contact AMR

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
78.	3	BC 2	2	Bookcase in Budget	OFS Brands First Office Staks - 6-3642BC - 36" w x 14"d x 42" h - Bookcase with adjustable shelves, 1 stationary shelves, and finished back; Thermally Fused laminate construction; All products to be US Made and require an 8-10 week max lead time COLOR SELECTIONS: HNP Honey Maple If bidding alternate: Make: _____ Model: _____ Warranty: _____			Yes, see Alternate Offerings above - Kimball and Knoll Case-goods, for others contact AMR
79.	3	BC 3	1	Bookcase in Budget	OFS Brands First Office Staks - 6-3042BC - 30" w x 14"d x 42" h - Bookcase with 2 adjustable shelves, 1 stationary shelves, and finished back; Thermally Fused laminate construction; All products to be US Made and require an 8-10 week max lead time COLOR SELECTIONS: HNP Honey Maple If bidding alternate: Make: _____ Model: _____ Warranty: _____			Yes, see Alternate Offerings above - Kimball and Knoll Case-goods, for others contact AMR

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
Group 4								
81.	4	L3	2	Reception Ottoman	OFS Brands, First Office Boost Cylinder - F49058 - 20.75" dia x 18" h Fully upholstered ottoman with concealed glides, high resilient polyurethane foam COLOR SELECTIONS: Fabric: Luna Textiles Urban Grid UCU-2514R Color Vestry - use reverse side If bidding alternate: Make: _____ Model: _____ Warranty: _____			Yes, see Alternate Offerings above
82.	4	L11	6	Corridor Bench	OFS Brands, Lowenstein Banda - Folded Steel Frame Design that utilizes a rigid, recycled content steel frame that remains solid and functional for its entire service life. 24" platform with 3 frame sizes in 24", 48", and 72" Built up benches, tables and component pieces for maximum flexibility for any design. 8 Standard powder coat frame options. Complete interchangeability of seat cushions without special fasteners or tools which can be easily reconfigured in the field. Seat cushions are easily removable for cleaning and replacement. See attached drawings for configuration COLOR SELECTIONS: Base Frame: Luster Grey MSL Fabric: Momentum Textiles Row Color Marigold			None
83.	4	L12	1	Lounge at Card Office	OFS Brands, Lowenstein Banda - Folded Steel Frame Design that utilizes a rigid, recycled content steel frame that remains solid and functional for its entire service life. 24" platform with 3 frame sizes in 24", 48", and 72" Built up benches, tables and component pieces for maximum flexibility for any design. 8 Standard powder coat frame options. Complete interchangeability of seat cushions without special fasteners or tools which can be easily reconfigured in the field. Seat cushions are easily removable for cleaning and replacement. Ganging devices required to make all frame components one unit. See attached drawings for configuration and fabric locations. COLOR SELECTIONS: Base Frame: Luster Grey MSL;			None

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
					See attached plan and 3D drawings for locations of Fabrics; Fabric Legend as follows: Momentum 1: Momentum Row Color Marigold, Momentum 2: Momentum Silica Etch Color Mink, Architex 1: Architex Born and Bred Color Wilson, Maharam 1: Maharam Folklore 465959 Color Veridian 002, Ultra 1: Ultra Fabrics Ultra Leather 291 Color Juniper 4261			
84.	4	L13	1	Lounge at Student Accounts	OFS Brands, Lowenstein Banda - Folded Steel Frame Design that utilizes a rigid, recycled content steel frame that remains solid and functional for its entire service life. 24" platform with 3 frame sizes in 24", 48", and 72" Built up benches, tables and component pieces for maximum flexibility for any design. 8 Standard powder coat frame options. Complete interchangeability of seat cushions and back rests without special fasteners or tools which can be easily reconfigured in the field. Seat and back cushions are easily removable for cleaning and replacement. Ganging devices required to make all frame components one unit. See attached drawings for configuration and fabric locations. COLOR SELECTIONS: Base Frame: Luster Grey MSL, See attached plan and 3D drawings for locations of Fabrics; Fabric Legend as follows: Momentum 1: Momentum Row Color Marigold, Momentum 2: Momentum Silica Etch Color Mink, Architex 1: Architex Born and Bred Color Wilson, Maharam 1: Maharam Folklore 465959 Color Veridian 002, Ultra 1: Ultra Fabrics Ultra Leather 291 Color Juniper 4261			None
85.	4	L14	1	Lounge at Financial Aid	OFS Brands, Lowenstein Banda - Folded Steel Frame Design that utilizes a rigid, recycled content steel frame that remains solid and functional for its entire service life. 24" platform with 3 frame sizes in 24", 48", and 72" Built up benches, tables and component pieces for maximum flexibility for any design. 8 Standard powder coat frame options. Complete interchangeability of seat cushions, back rests, upholstered arms without special fasteners or tools which can be easily reconfigured in the field. Seat, back, and arm cushions are easily removable for cleaning and			None

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
					replacement. Ganging devices required to make all frame components one unit. See attached drawings for configuration and fabric locations. COLOR SELECTIONS: Base Frame: Luster Grey MSL, See attached plan and 3D drawings for locations of Fabrics; Fabric Legend as follows: Momentum 1: Momentum Row Color Marigold, Momentum 2: Momentum Silica Etch Color Mink, Architex 1: Architex Born and Bred Color Wilson, Maharam 1: Maharam Folklore 465959 Color Veridian 002			
86.	4	L15	1	Lounge at Financial Aid	OFS Brands, Lowenstein Banda - Folded Steel Frame Design that utilizes a rigid, recycled content steel frame that remains solid and functional for its entire service life. 24" platform with 3 frame sizes in 24", 48", and 72" Built up benches, tables and component pieces for maximum flexibility for any design. 8 Standard powder coat frame options. Complete interchangeability of seat cushions, back rests, upholstered arms and powered wood arms without special fasteners or tools which can be easily reconfigured in the field. Seat, back, and arm cushions along with powered wood arms are easily removable for cleaning and replacement. Wood arms constructed of molded plywood with straight grain beech veneer, closed with added power device - H2H 2 electrical receptacles with USB. Ganging devices required to make all frame components one unit. Also include leg wire managers and under surface wire clips where needed to manage power to arm. See attached drawings for configuration and fabric locations. COLOR SELECTIONS: Base Frame: Luster Grey MSL, Wood: MHM Honey Maple, See attached plan and 3D drawings for locations of Fabrics; Fabric Legend as follows: Momentum 1: Momentum Row Color Marigold, Momentum 2: Momentum Silica Etch Color Mink, Architex 1: Architex Born and Bred Color Wilson, Maharam 1: Maharam Folklore 465959 Color Veridian 002, Ultra 1: Ultra Fabrics Ultra Leather 291 Color Juniper 4261			None
87.	4	L20	1	Lounge at Registrar	OFS Brands, Lowenstein Banda - Folded Steel Frame Design that utilizes a rigid, recycled content steel frame that remains solid and functional for its entire service life. 24" platform with 3 frame sizes in 24", 48", and 72" Built up			None

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
					benches, tables and component pieces for maximum flexibility for any design. 8 Standard powder coat frame options. Complete interchangeability of seat cushions, back rests, and wood arms without special fasteners or tools which can be easily reconfigured in the field. Seat, back, and wood arms are easily removable for cleaning and replacement. Wood arms constructed of molded plywood with straight grain beech veneer, closed on both ends. Tables are 2.25" thick with straight grain beech veneer. Ganging devices required to make all frame components one unit. COLOR SELECTIONS: Base Frame: Luster Grey MSL, Wood: MHM Honey Maple, See attached plan and 3D drawings for locations of Fabrics; Fabric Legend as follows: Momentum 1: Momentum Row Color Marigold, Momentum 2: Momentum Silica Etch Color Mink, Architex 1: Architex Born and Bred Color Wilson, Maharam 1: Maharam Folklore 465959 Color Veridian 002, Ultra 1: Ultra Fabrics Ultra Leather 291 Color Juniper 4261			
88.	4	L22	1	Lounge at Budget	OFS Brands, Lowenstein Banda - Folded Steel Frame Design that utilizes a rigid, recycled content steel frame that remains solid and functional for its entire service life. 24" platform with 3 frame sizes in 24", 48", and 72" Built up benches, tables and component pieces for maximum flexibility for any design. 8 Standard powder coat frame options. Complete interchangeability of seat cushions, back rests, wood arms, and tables without special fasteners or tools which can be easily reconfigured in the field. Seat, back, wood arms, and tables are easily removable for cleaning and replacement. Wood arms constructed of molded plywood with straight grain beech veneer, closed on both ends. Tables are 2.25" thick with straight grain beech veneer; include lamp at center of table - see attached drawing. Also include leg wire managers and under surface wire clips where needed to manage power to lamp. Ganging devices required to make all frame components one unit. See attached drawings for configuration and fabric locations. COLOR SELECTIONS: Base Frame: Luster Grey MSL, Wood: MHM Honey Maple, Lamp: White, See attached plan and 3D drawings for			None

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
					locations of Fabrics; Fabric Legend as follows: Momentum 1: Momentum Row Color Marigold, Maharam 1: Maharam Folklore 465959 Color Veridian 002, Ultra 1: Ultra Fabrics Ultra Leather 291 Color Juniper 4261			
89.	4	L23	1	Lounge at Human Resources	OFS Brands, Lowenstein Banda - Folded Steel Frame Design that utilizes a rigid, recycled content steel frame that remains solid and functional for its entire service life. 24" platform with 3 frame sizes in 24", 48", and 72" Built up benches, tables and component pieces for maximum flexibility for any design. 8 Standard powder coat frame options. Complete interchangeability of seat cushions, back rests, upholstered arms and powered wood arms without special fasteners or tools which can be easily reconfigured in the field. Seat, back, and arm cushions along with powered wood arms are easily removable for cleaning and replacement. Wood arms constructed of molded plywood with straight grain beech veneer, closed with added power device - H2H 2 electrical receptacles with USB. Ganging devices required to make all frame components one unit. Also include leg wire managers and under surface wire clips where needed to manage power to arm. See attached drawings for configuration and fabric locations. COLOR SELECTIONS: Base Frame: Luster Grey MSL, Wood: MHM Honey Maple, See attached plan and 3D drawings for locations of Fabrics; Fabric Legend as follows: Momentum 1: Momentum Row Color Marigold, Momentum 2: Momentum Silica Etch Color Mink, Maharam 1: Maharam Folklore 465959 Color Veridian 002, Ultra 1: Ultra Fabrics Ultra Leather 291 Color Juniper 4261			None
90.	4	L25	1	Loveseat at Dr. Brown's Office	Loewenstein Cubic Loveseat 203142 - Fully upholstered Tufted Loveseat with loose seat and back cushions, Square sewn tufted detail on seat and back cushions, H3F Base, Cushions are constructed of high density state of the art foam that is fire resistant COLOR SELECTIONS: Base: QEC Quartered Espresso, Fabric: Arc-Com Polished AC-60767 Color Seal #28 If bidding alternate: Make: _____			Yes, see Alternate Offerings above - Contact AMR

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
					Model: _____ Warranty: _____			
91.	4	L25 a	2	Loveseat Pillow at Dr. Brown's Office	Loewenstein Throw Pillow - 24" square Custom Size - state of the art poly insert, self welt trim, hidden zipper COLOR SELECTIONS: Fabric: Momentum Textiles Panorama color Gamma If bidding alternate: Make: _____ Model: _____ Warranty: _____			Yes, see Alternate Offerings above - Contact AMR
92.	4	L26	1	Lounge Chair at Dr. Brown's Office	Loewenstein Cubic Lounge Chair 203141 -Fully upholstered Tufted Loveseat with loose seat and back cushions, Square sewn tufted detail on seat and back cushions, H3F Base, Cushions are constructed of high density state of the art foam that is fire resistant COLOR SELECTIONS: Base: QEC Quartered Espresso, Fabric: Arc-Com Polished AC-60767 Color Seal #28 If bidding alternate: Make: _____ Model: _____ Warranty: _____			Yes, see Alternate Offerings above - Contact AMR
93.	4	L26 a	1	Lounge Chair Pillow at Dr. Brown's Office	Loewenstein Throw Pillow - 18" square with state of the art poly insert, self welt trim, and hidden zipper COLOR SELECTIONS: Fabric: Luna Textiles Urban Grid UCU-2514R Color Vestry Reverse side If bidding alternate: Make: _____ Model: _____			Yes, see Alternate Offerings above - Contact AMR

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
					Warranty: _____			
94.	4	S23	2	Guest Chair at Dr. Brown's Office	Loewenstein Veneto 7055W - Wood frame construction with veneered exposed wood, upholstered seat and inside/outside back, fully wrapped seat detail, Cushions are constructed of high density state of the art foam that is fire resistant COLOR SELECTIONS: Frame: QEC Quartered Espresso, Fabric: Luna Textiles Urban Grid UCU-2514R Color Vestry Reverse side If bidding alternate: Make: _____ Model: _____ Warranty: _____			Yes, see Alternate Offerings above
95.	4	T12	4	Lounge Side Table with power	Carolina X - 24"x24"x20" Laminate covered cube, roughly 55 lbs overall weight; Silver metallic pop-up power unit with 2 power receptacles in center of top surface COLOR SELECTIONS: MH2 Honey Maple If bidding alternate: Make: _____ Model: _____ Warranty: _____			Yes, see Alternate Offerings above
96.	4	T16	6	Lounge Side Table Round	Carolina O - 20" dia x 20" h Laminate covered cylinder, 40 lbs overall weight COLOR SELECTIONS: MH2 Honey Maple If bidding alternate: Make: _____ Model: _____ Warranty: _____			Yes, see Alternate Offerings above

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
97.	4	T15	2	Powered Parsons Table	<p>OFS Brands First Office Intermix - CC-C9648CBT - 48"x96"x42"H Collaborative Parsons style conference table with full side panels and full center support modesty panel, High pressure Laminate on all surfaces, Square 3mm PVC edge to match laminate, BH4 power cutout - (2) PS-32 Vault Turnbox modules containing (2) 15 amp power receptacles, (1) data port, a 12 foot cord, and UL Listed, one touch open and close - 1 power module centered on each end of the table, Tops are constructed with 1.125" thick particleboard core, include wire management devised to conceal cords for power modules COLOR SELECTIONS: Laminate: MH2 Honey Maple, Silver Power Module</p> <p>If bidding alternate: Make: _____ Model: _____ Warranty: _____</p>			Yes, see Alternate Offerings above
98.	4	T13	1	Custom Table w/Dividers at Financial Aid	<p>OFS Brands First Office Staks Custom Back to Back Computer station - (4) 36" wide x 22" deep (Clear worksurface) x 29" worksurface height, 54" overall divider and end panel height; 2 stations side by side and back to back built together as one unit - Laminate used on all exposed vertical surfaces to be thermally-fused laminate with square 3mm PVC edge. Laminate used on Horizontal surfaces to be High pressure laminate with square 3mm PVC Edge. Worksurface tops to be minimum of 1.125" thick. Scratch free matte finish on all units. 42" high X 1" thick laminate vertical panels with levelers that allow 2.5" height adjustability, 8" high x .25" thick Frosted acrylic panels attach to top of laminate vertical panel with saddle brackets (1"w x 1.344"d x 4.375"h) All divider walls installed using Clean Seam Connector Kits; (1) grommet per workstation located at back center of worksurface, include 8 additional field installed grommets for wire management, See attached plan and 3D drawing COLOR SELECTIONS: Horizontal Surface Laminate: Frosty White FW2 with matching PVC edge, Vertical Laminate Surfaces: Honey</p>			Yes, see Alternate Offerings above - Contact AMR

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
					Maple MH2 with matching PVC edge, Frosted Acrylic If bidding alternate: Make: _____ Model: _____ Warranty: _____			
99.	4	T21	4	Lounge Side Table	Carolina X - 24"x24"x20" Laminate covered cube, 50 lbs overall weight COLOR SELECTIONS: MH2 Honey Maple If bidding alternate: Make: _____ Model: _____ Warranty: _____			Yes, see Alternate Offerings above
100.	4	T20	2	Individual Computer Station	OFS Brands First Office Staks Custom Individual Computer station - 36" wide x 22" deep (clear worksurface) x 29" worksurface height, 54" overall divider and end panel height - Laminate used on all exposed vertical surfaces to be thermally-fused laminate with square 3mm PVC edge. Laminate used on Horizontal surfaces to be High pressure laminate with square 3mm PVC Edge. Worksurface tops to be minimum of 1.125" thick. Scratch free matte finish on all units. 42" high X 1" thick laminate vertical panels with levelers that allow 2.5" height adjustability, 8" high x .25" thick Frosted acrylic panels attach to top of laminate vertical panel with saddle brackets (1"w x 1.344"d x 4.375"h) All divider walls installed using Clean Seam Connector Kits; (1) grommet per workstation located at back center of the worksurface; Field cutting of back panel required to allow for access of wall power and data, See attached plan and 3D drawing COLOR SELECTIONS: Horizontal Surface Laminate: Frosty White FW2 with matching PVC edge, Vertical Laminate Surfaces: Honey Maple MH2 with matching PVC edge, Frosted Acrylic If bidding alternate: Make: _____ Model: _____			Yes, see Alternate Offerings above

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
					Warranty: _____			
101.	4	T24	1	Coffee Table at Dr. Brown's Office	OFS Brands Carolina Modern Amenity Oval - 310-22x46 - 22"x46"x17.25" Oval cocktail table with exposed wood frame and laminate top with knife edge COLOR SELECTIONS: Laminate Top:QE2 Quartered Espresso Frame: QEC Quartered Espresso If bidding alternate: Make: _____ Model: _____ Warranty: _____			Yes, see Alternate Offerings above
102.	4	T25	1	Side Table at Dr. Brown's Office	OFS Brands Carolina Modern Amenity Squircle Side Table - 310-22sq - 22" Square side table with exposed wood frame and laminate top with knife edge COLOR SELECTIONS: Laminate Top:QE2 Quartered Espresso Frame: QEC Quartered Espresso If bidding alternate: Make: _____ Model: _____ Warranty: _____			Yes, see Alternate Offerings above
103.	4	T27	1	Computer Stations at VA Suite	OFS Brands First Office Staks Custom Individual Computer station - (3) 42" wide x 22" deep (clear worksurface) x 29" worksurface height, 54" overall divider and end panel height; 3 stations in straight run built together as one unit - Laminate used on all exposed vertical surfaces to be thermally-fused laminate with square 3mm PVC edge. Laminate used on Horizontal surfaces to be High pressure laminate with square 3mm PVC Edge. Worksurface tops to be minimum of 1.125" thick. Scratch free matte finish on all units. 42" high X 1" thick laminate vertical panels with levelers that allow 2.5" height adjustability, 8" high x .25" thick Frosted acrylic panels attach to top of laminate vertical panel with saddle brackets (1"w x 1.344"d x			Yes, see Alternate Offerings above - Contact AMR

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
					<p>4.375"h) All divider walls installed using Clean Seam Connector Kits; (1) grommet per workstation located at back center of the worksurface; Field cutting of back panel required to allow for access of wall power and data, See attached plan and 3D drawing COLOR SELECTIONS: Horizontal Surface Laminate: Frosty White FW2 with matching PVC edge, Vertical Laminate Surfaces: Honey Maple MH2 with matching PVC edge, Frosted Acrylic If bidding alternate: Make: _____ Model: _____ Warranty: _____</p>			
104.	4	K1	1	Computer Kiosk at Student Accounts	<p>OFS Brands First Office Staks Custom Computer Kiosk station - (1) standing height section 36" wide x 22" deep (clear worksurface) x 39" worksurface height (1) Accessible height station 36" wide x 22" deep (clear worksurface) x 34" worksurface height, Both with 59" overall divider and end panel height; 2 stations in straight run built together as one unit - Laminate used on all exposed vertical surfaces to be thermally-fused laminate with square 3mm PVC edge. Laminate used on Horizontal surfaces to be High pressure laminate with square 3mm PVC Edge. Worksurface tops to be minimum of 1.125" thick. Scratch free matte finish on all units. 48" high X 1" thick laminate vertical panels with levelers that allow 2.5" height adjustability, 11" high x .25" thick Frosted acrylic panels attach to top of laminate vertical panel with saddle brackets (1"w x 1.344"d x 4.375"h) All divider walls installed using Clean Seam Connector Kits; (1) grommet per workstation located at back center of the worksurface; Field cutting of back panel required to allow for access of wall power and data, See attached plan and 3D drawing COLOR SELECTIONS: Horizontal Surface Laminate: Frosty White FW2 with matching PVC edge, Vertical Laminate Surfaces: Honey Maple MH2 with matching PVC edge, Frosted Acrylic If bidding alternate: Make: _____</p>			Yes, see Alternate Offerings above

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
					Model: _____ Warranty: _____			
105.	4	K2	1	Computer Kiosk at Registrar	<p>OFS Brands First Office Staks Custom Computer Kiosk station - (2) standing height section 36" wide x 22" deep (clear worksurface) x 39" worksurface height (1) Accessible height station 36" wide x 22" deep (clear worksurface) x 34" worksurface height, Both with 59" overall divider and end panel height; 3 stations in straight run built together as one unit - Laminate used on all exposed vertical surfaces to be thermally-fused laminate with square 3mm PVC edge. Laminate used on Horizontal surfaces to be High pressure laminate with square 3mm PVC Edge. Worksurface tops to be minimum of 1.125" thick. Scratch free matte finish on all units. 48" high X 1" thick laminate vertical panels with levelers that allow 2.5" height adjustability, 11" high x .25" thick Frosted acrylic panels attach to top of laminate vertical panel with saddle brackets (1"w x 1.344"d x 4.375"h) All divider walls installed using Clean Seam Connector Kits; (1) grommet per workstation located at back center of the worksurface; Field cutting of back panel required to allow for access of wall power and data, See attached plan and 3D drawing COLOR SELECTIONS: Horizontal Surface Laminate: Frosty White FW2 with matching PVC edge, Vertical Laminate Surfaces: Honey Maple MH2 with matching PVC edge, Frosted Acrylic</p> <p>If bidding alternate: Make: _____ Model: _____ Warranty: _____</p>			Yes, see Alternate Offerings above

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
Group 5								
106.	5	S4	104	Desk Chair	Humanscale Liberty - Counter-balance mechanism that provides recline resistance automatically, Form-Sensing mesh- tri-panel, non-stretch mesh construction for back , Width 26.5" Base Width 25" Weight 40 lbs; Frame: Injection-molded, structural, integral color glass-filled Nylon 6, Pneumatic cylinder for adjustable seat height 5". Mechanism-free counter-balance recline action automatically provides the right amount of support through the full range of recline motion, regardless of user size and weight. Provides additional lumbar support as needed. 3" (76mm) standard hard casters. Flexible Duron Adjustable Armrest. Standard foam seat pan carefully sculpted to match body contours, increased contact area reduces pressure points, modular for easy replacement; 5 years single shift warranty on Textiles and Mesh, 15 year 24/7 Use Warranty on all other components COLOR SELECTIONS: (Qty 22) Frame Color: Silver with Silver trim, Back Mesh: Pinstripe Color: Cadmium, Seat Vinyl: Lotus Color: Shale, Base Upgrade: to match trim color; (Qty 82) Frame Color: Black with Black trim, Back Mesh: Pinstripe Color: Silver, Seat Vinyl: Lotus Color: Shale			None
107.	5	S6	8	Desk Chair Plus Size	Humanscale Smart Plus - Must meet current BIFMA Standards 5.11, Hold user up to 400 lbs, 22" wide 3" thick seat, 17"-19" seat depth adjustment; Weight-sensitive self-locking recline mechanism that instantly adjusts to user to provide perfect support without locks and levers; Chair weight 37 lbs; Form-Sensing mesh- tri-panel, non-stretch mesh construction for back, Mechanism-free counter-balance recline action automatically provides the right amount of support through the full range of recline motion, regardless of user size and weight; 4D armrests that can be adjusted in four different directions to fit all body types, armrests are attached to back not seat for support during full range of motion; 15 year Warranty COLOR SELECTIONS: Frame Color: Black, Back Mesh: Pinstripe Color: Silver, Seat Vinyl: Lotus Color: Shale			None

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
108.	5	S7	4	Task Stool	Humanscale Liberty Stool - Counter-balance mechanism that provides recline resistance automatically, Form-Sensing mesh- tri-panel, non-stretch mesh construction for back , Width 26.5" Base Width 25" Weight 40 lbs; Frame: Injection-molded, structural, integral color glass-filled Nylon 6, Pneumatic cylinder for adjustable seat height 8" with 21" foot ring. Mechanism-free counter-balance recline action automatically provides the right amount of support through the full range of recline motion, regardless of user size and weight. Provides additional lumbar support as needed. 3" (76mm) standard hard casters. Flexible Duron Adjustable Armrest. Non-Standard foam seat pan carefully sculpted to match body contours, increased contact area reduces pressure points, modular for easy replacement; Standard base to match trim color; 5 years single shift warranty on Textiles and Mesh, 15 year 24/7 Use Warranty on all other components COLOR SELECTIONS: Frame Color: Silver with Silver trim, Back Mesh: Pinstripe Color: Cadmium, Seat Vinyl: Lotus Color: Shale			None
109.	5	S12	40	Conference Chair	Humanscale World Chair - Mechanism free recline provides automatic balanced support at all points throughout recline, user maintains near-constant eye level during recline; Tri-panel non-stretch mesh construction on back, extra backrest motion automatically adjusts to changing needs of spine and adapts automatically to provide additional lumbar support - no external lumbar devices to adjust; Upholstered seat; Width 26" Base Width 24" Weight 37lbs; Flexible Duron Adjustable Armrest that connects to the backrest instead of seat to stay with body during recline. 3" (76mm) standard hard casters. Designed for users up to 300 lbs; 5 years single shift warranty on Textiles and Mesh, 15 year 24/7 Use Warranty on all other components COLOR SELECTIONS: Frame Color: Silver with Silver trim, Back Mesh: Pinstripe Color: Cadmium, Seat Vinyl: Lotus Color: Shale			None

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
110.	5	M1	2	Budget Monitor Arm	Humanscale M/Flex Monitor Arm to hold up to 4 monitors - MF22SBBC24MF22S88 - Utilizes M2 Monitor Arm technology, In-field reconfigurations achieved without disruption to existing equipment, surface clamp mounted, Five total post heights, can accommodate one or two rows, choice of up to 3 monitors per row, nesting integrated brack design allows for easy add-ons, 15 year 3 shift warranty; 2 over 2 configuration: First row: M/Flex for M2 Arms with bracket for 2nd Monitor, Silver with grey trim, (2) 8" straight link/12" straight link, clamp mount, mounted on 24" h post ((2) 12" high posts stacked); Second Row: M/Flex Add-ons for M2 arms, Bracket for 2nd monitor, Silver with gray trim, (2) 12" straight link/Dynamic Link COLOR SELECTIONS: Silver with gray trim			None
111.	5	M3	5	Budget Monitor Arm	Humanscale M/Flex Monitor Arm to hold up to 3 monitors - MF23S808C12 - Utilizes M2 Monitor Arm technology, In-field reconfigurations achieved without disruption to existing equipment, surface clamp mounted, Five total post heights, can accommodate one or two rows, choice of up to 3 monitors per row, nesting integrated brack design allows for easy add-ons, 15 year 3 shift warranty; 3 side by side configuration: M/Flex for M2 arms with bracket for 3rd Monitor, Silver with gray trim, 12" Straight Link/Dynamic Link, Ball joint turret, 12" straight Link/Dynamic Link, Clamp Mount, 12" high post COLOR SELECTIONS: Silver with gray trim			None
112.	5	M4	2	Budget Monitor Arm	Humanscale M/Flex Monitor Arm to hold 2 monitors - MF22S88C12 - Utilizes M2 Monitor Arm technology, In-field reconfigurations achieved without disruption to existing equipment, surface clamp mounted, Five total post heights, can accommodate one or two rows, choice of up to 3 monitors per row, nesting integrated brack design allows for easy add-ons, 15 year 3 shift warranty; 2 side by side (Dual) configuration: M/Flex for M2 arms, with bracket for second monitor, Silver with gray trim, (2) 12" straight Link/Dynamic link, clam mount, 12" high post COLOR SELECTIONS: silver with gray trim			None

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
113.	5	T14	62	Classroom Table	<p>OFS Brands First Office Intermix - 24"x60". Tops are constructed with 1.125" thick particleboard core. Underside support rails are standard on all 60"W tops. 24"D tops have 1 support rail. High Pressure Laminate Top with 3mm Square PVC Edge. Thermally Fused Laminate Fixed Modesty Panel. Deuce Base (ASC20 set of 2): Overall base height 27.75". Lockable Casters. Table height with top 28.875". 2.36" diameter tubular steel column. COLOR SELECTIONS: FW2 Frosty White Top with PVC edge PN2 Platinum, Solid leg in Luster Grey, A4H White Caster</p> <p>If bidding alternate: Make: _____ Model: _____ Warranty: _____</p>			Yes, see Alternate Offerings above
114.	5	T7	9	Round Classroom Table	<p>OFS Brands First Office Applause - 60" Round. Tops are constructed with 1.25" thick particleboard core. Underside support rails are standard on 60"W and 72" W top for support. High Pressure Laminate with 3mm PVC edge. Deuce Static Center Base with casters (set of 3 per table) Overall base height 27.75" Table height with top 28.75", 2.36" dia tubular steel column, Cast Aluminum Foot, Lockable casters COLOR SELECTIONS: FW2 Frosty White top with PVC Edge PN2 Platinum, Solid Leg in Luster Grey, A4H White Caster</p> <p>If bidding alternate: Make: _____ Model: _____ Warranty: _____</p>			Yes, see Alternate Offerings above

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
116.	5	T6	7	Media Table	<p>NEVINS D-Top Media Table - Top: LP01-DS4872AVM1X01044LP01 - Base: VM1X Volow Base - Media Console with TV Lift: MCON54 - 48" W x 72" L Table; 55" L x 12" D Media Console - The table core is 1 1/8" thick high density 45 lb. industrial grade particleboard or medium density fiber board (MDF). Table bases are made of steel which contains on average, 30% recycled content. 100% of the scrap metal accumulated from the internal manufacturing process is recycled. Edge to be PVC 3MM edge. Base to be Volow 10" diameter Steel column with Wire Management. Media console with TV Lift is laminate top with PVC Edge with Square Corners; Monitor Lift should be controllable via contact closure. See drawings attached COLOR SELECTIONS: Formica Vosges Pear 1150-43 Top, Brownstone PVC08 Edge, Satin Chrome Base</p> <p>If bidding alternate: Make: _____ Model: _____ Warranty: _____</p>			Yes, see Alternate Offerings above
117.	5	T10	1	Study Table at Financial Aid	<p>OFS Brands First Office Intermix - 36"x72". Tops are constructed with 1.125" thick particleboard core. Underside support rails are standard. High Pressure Laminate with matching 3mm Square PVC Edge. Intermix Deuce Base (ASK4218): Overall base height 27.75". Table height with top 28.875". 2.36" diameter tubular steel column. Cast aluminum foot. COLOR SELECTIONS: HNP Honey Maple Top with matching PVC edge, Luster Grey Base</p> <p>If bidding alternate: Make: _____ Model: _____ Warranty: _____</p>			Yes, see Alternate Offerings above

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
118.	5	T17	1	Study Table at Student Accounts	OFS Brands First Office Intermix 42" x 96". Tops are constructed with 1.125" thick particleboard core. Underside support rails are standard. High Pressure Laminate with matching 3mm Square PVC Edge. Intermix Deuce Base (ASK7123): Overall base height 27.75". Table height with top 28.875". 2.36" diameter tubular steel column. Cast aluminum foot. COLOR SELECTIONS: HNP Honey Maple Top with matching PVC edge, Luster Grey Base If bidding alternate: Make: _____ Model: _____ Warranty: _____			Yes, see Alternate Offerings above
119.	5	T18	1	Conference Table at Student Accounts	OFS Brands First Office Intermix - 48" x 120". Tops are constructed with 1.125" thick particleboard core. Underside support rails are standard. High Pressure Laminate with matching 3mm Square PVC Edge. Intermix Deuce Base (ASK9826): Overall base height 27.75". Table height with top 28.875". 2.36" diameter tubular steel column. Cast aluminum foot. COLOR SELECTIONS: HNP Honey Maple Top with matching PVC edge, Luster Grey Base If bidding alternate: Make: _____ Model: _____ Warranty: _____			Yes, see Alternate Offerings above
120.	5	T23	1	Conference Table at Payroll	OFS Brands First Office Applause - Oval 36" x 60". Tops are constructed with 1.125" thick particleboard core. Underside support rails are standard. High Pressure Laminate with matching 3mm Square PVC Edge. Deuce Base Kit: Overall base height 27.75". Table height with top 28.875". 2.36" diameter tubular steel column. Cast aluminum foot. COLOR SELECTIONS: HNP Honey Maple Top with matching PVC edge, Luster Grey Base If bidding alternate: Make: _____			Yes, see Alternate Offerings above

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
					Model: _____ Warranty: _____			
121.	5	U1	3	Classroom and Conference Credenza	Nevins Union Credenza - 24"D x 72"W x 30"H - The cabinet core material is 3/4" high density, 45 lb. industrial grade particleboard or medium density fiber board. Laminate surfaced cabinet tops are 1 1/8", 45 lb. industrial grade particle board or medium density fiber board. High Pressure Laminate tops and cabinet tops and doors, white melamine cabinet interior. 3mm square PVC edge on cabinet top. Door hardware: Beniana Pulls in Satin Aluminum mounted horizontally flush to top edge and corner of door. 4" plinth base with matching laminate finish. Includes 4 doors, 2 Adjustable shelves, and 1 center dividing panel COLOR SELECTIONS: Formica Vosges Pear 1150-43 Top, Brownstone PVC08 Edge If bidding alternate: Make: _____ Model: _____ Warranty: _____			Yes, see Alternate Offerings above
122.	5	E1	103	Classroom Power Supply	OFS Brands First Office - Top Mount Power/data center. Clamps to rim of worksurface. 10' cord. UL Listed. 2 15 Amp Outlets, 2 USB Charging ports. PS- 46 White If bidding alternate: Make: _____ Model: _____ Warranty: _____			Yes, see Alternate Offerings above
123.	5	T19	1	Large Conference Table with power	Nevins Vega Conference Table - Boat Shape 60" wide x 216" long - Standard table core is 1.125" thick high density 45 lb. industrial grade particleboard or MDF. Top is constructed of High Pressure Laminate over standard table core with underside of top in a phenolic backing sheet. Top is constructed in two pieces. 5 required straight Laminate legs; 3 with vented wire management in base. LP01 Square 3mm PVC edge to match laminate finish. Qty 3 Ozzy Silver			Yes, see Alternate Offerings above

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
					<p>Y1S power unit - Ozzy unity made of steel housing with powder coat finish, 9" x 5.75" Spring loaded hinge top with drain holes for liquid drainage, (2) 15 amp electrical receptacles, (1) data jack, (1) voice jack, 72" cord, and UL Listing ; include wire management under table for power units. See attached drawings for location of power</p> <p>COLOR SELECTIONS: Laminate: Formica Vosges Pear 1150-43, PVC edge to match laminate, Silver Power Unit</p> <p>If bidding alternate: Make: _____ Model: _____ Warranty: _____</p>			
124.	5	T22	1	Conference Table	<p>Nevins Vega Conference Table - Custom Size Rectangle 54" wide x 108" long- Standard table core is 1.125" thick high density 45 lb. industrial grade particleboard or MDF. Top is constructed of High Pressure Laminate over standard table core with underside of top in a phenolic backing sheet. Top is constructed in one piece. 2 required straight Laminate legs. LP01 Square 3mm PVC edge to match laminate finish. COLOR SELECTIONS: Laminate: Formica Vosges Pear 1150-43, PVC edge to match laminate</p> <p>If bidding alternate: Make: _____ Model: _____ Warranty: _____</p>			Yes, see Alternate Offerings above

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
125.	5	L4	1	Reception Banquette	<p>Shelby Williams - Custom Continuous straight wall settee (4) sections at 72" wide with center seam to achieve look of 36" sections - to mimic 8 individual sections - sections connected to prevent movement; 48" overall height x 30" overall depth; Modified from Shelby Williams MN series; Smooth inside back with unfinished outside back and finished ends; inside back ends to have wrap around upholstery, seat to be smooth waterfall upholstered front and back edges with double stitched ends; back to have (2) 8" wide panels of Laminate with power minitap unit - Byrne Surface Mount Minitap BE01536-2-0-SMA-WT 2 Power configuration White Finish UL Listed, Hardwired by building electrician (Dealer to coordinate) - see attached drawings for location; All hardwood frames, glued and reinforced with glue blocks throughout, straight top member, upholstery material and foam pulled over top and around ends, fastened on unfinished outside back - wrap upholstery material and foam down beyond 5" on outside back - see drawing attached; Enclosed 6" High Plastic Laminate Box Base, finish as indicated below; Seat and Base platforms made of 3/4" exterior grade plywood; Smooth 2" foam filling back, to have vertical splits 24" on center coil springs; 1-1/2" foam in seats over coil springs, seat cover applied in waterfall style sewn-up with double needle reinforced stitching; seats to have splits to match inside backs, seats finished 1'-6" high off floor, no seat apron, Front of seat drops down to top of kickbase; coil spring construction - provide no hard edges and uniform support; All foam to be state of the art and flame retardant; Refer to attached elevation COLOR SELECTIONS: Laminate toe kick and power strip: Wilsonart Huntington Maple 7929-38; See attached drawing for locations of Fabrics; Fabric Legend as follows: Momentum 1: Momentum Textiles Beep in Greenlight - run stripes vertically; Momentum 2: Momentum Textiles Silica Etch in Mink</p> <p>If bidding alternate: Make: _____ Model: _____ Warranty: _____</p>			Yes, see Alternate Offerings above

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
126.	5	C1	1	Elevator Alcove Cushions	<p>Shelby Williams - Custom Upholstered Back and Side panels and Seat cushions; shell of Elevator Alcove provided by building contractor; Verify all dimensions in field before manufacturing - dimensions given are based on architectural drawings, not field measurements; Back and Side panels and seat cushions fabricated with 3/4" exterior grade plywood under state of the art premium flame retardant foam; seat style to be plain upholstered with double needle reinforced stitching on seat top and edges to achieve a squared look - no rounded edges- seat cushion to be a total height of 4"; seat cushions to be attached with mushroom industrial Velcro; Back and Side panel style to be plain upholstered with waterfall edges of long side of panel with double needle reinforced stitching on top and bottom edges - panels to be a total thickness of 1-1/2"; Side and back panels to be attached with heavy duty metal z-clips; COLOR SELECTIONS: Fabric: Carnegie Xorel Meteor 6427 Color 720 with X-Protect Sit backing; refer to Drawings attached</p> <p>If bidding alternate: Make: _____ Model: _____ Warranty: _____</p>			Yes, see Alternate Offerings above

Item No.	Group No.	Tag	Qty	DESCRIPTION	SPECIFICATION	Unit Price	Ext.	Alternate
----------	-----------	-----	-----	-------------	---------------	------------	------	-----------

B015068 - Furnishings for Brown Building

Delivery within: _____ days ARO Minimum Order: \$ _____

FOB Point: _____ Freight Terms: _____
 (Destination or Shipping Point) (Prepaid, Collect or Added)

If freight charges are to be added, approximate cost: \$ _____

Prices firm until: _____ Date Quote Submitted: _____

Minimum Bid \$ _____

Company Name: _____

Signature & Title: _____

Name (printed or typed): _____

Tel No: _____ Fax No: _____

E-Mail: _____ Web Site: _____

ARKANSAS TECH UNIVERSITY
Procurement and Risk Management Services
203 West O Street
Russellville, AR 72801-2222

Act 2157 of 2005 of the Arkansas Regular Legislative Session requires that any business or person responding to a Request for Quotation (Bid) submit their most current Equal Employment Opportunity policy (EEO Policy).

Although bidders are encouraged to have a viable equal opportunity policy, a written response stating that the bidder does not have an EEO Policy will be considered that bidder's response and will comply with the requirement of Act 2157.

Submitting your EEO Policy is a one-time requirement. The Arkansas Tech University Procurement and Risk Management Services will maintain a file of the EEO Policies or written responses received.

This is a mandatory requirement when submitting a bid response. Failure to submit an EEO Policy or response may result in rejection of your bid.

If you have any questions, please call Procurement Services at 479-968-0269.

Thank you.

Jessica Holloway.
Director of Procurement and Risk Management Services

TO BE COMPLETED BY BUSINESS OR PERSON SUBMITTING BID RESPONSE

- _____ EEO Policy attached
- _____ EEO Policy previously submitted to ATU Procurement Services
- _____ EEO Policy is not available

Name of Company or Person

Signature

Name (printed or typed)

Title

Date

BID NO. B015068 SPECIALTERMS & CONDITIONS

Arkansas Tech University is requesting bids for furnishings for the new Robert Charles Brown and Jill Lestage Brown Building. The items listed have been selected by an interior designer to be compatible with the decor of the new building; however, it is not the intent of the University to write "closed specifications."

CONTACT PERSON:

Throughout the bidding process, Jessica Holloway, ATU Procurement Program Manager, will be the sole point of contact with the exception of alternate offerings approvals as specified on page 1 of bid. Tel: 479-968-0269. Fax: 479-968-0633. E-mail: jholloway@atu.edu.

Any changes, corrections or addenda will be issued in writing by the ATU Procurement Services.

AWARD:

The University reserves the right to award items individually, by groups, by All or None or by any other method deemed in the best interest of the University; and the University's decision will be final. Arkansas Tech also reserves the right to reject any or all bids.

Evaluation will be based on price, warranty, construction and style/fabrics/finishes.

REFERENCES:

If requested, bidder must furnish at least three (3) references currently using the furniture quoted (including the name of a contact person and a telephone number). References are to include furniture that has been in place in a similar environment for several years.

If possible, include a reference for furniture installed in Arkansas or neighboring states. The University may wish to visit the site.

FREIGHT TERMS:

Bid prices **MUST** be FOB Arkansas Tech University with freight charges prepaid. **ANY OTHER FREIGHT TERMS WILL BE CAUSE FOR REJECTION OF BID.**

SUBSTITUTIONS (OR EQUALS): Please see **Alternate Offerings/Descriptive Literature** page 1.

DELIVERY & INSTALLATION:

Delivery and Installation will be coordinated through Procurement Services. The University requires at least three (3) working days advance notice of delivery. **Partial shipments will be accepted.**

Deliveries must be made between the hours of 8:00a.m. and 4:00p.m. No deliveries may be scheduled on

Saturdays or Sundays or after normal working hours without prior approval of the University's representative.

The building will have 4 stories; but an elevator will be available. Successful bidder(s) will be allowed to drive trucks up to the building (on the lawn). A parking lot is available on the east side of the building.

All furniture is to be delivered, assembled and set in place by the vendor. The University would prefer that the successful bidder send its own work crew for the installation. However if that is not feasible, the bidder may hire a local crew but will be required to have a representative on site during the unloading, assembly and installation of the furniture. The representative must be familiar with the required assembly of the components and will be responsible for the immediate removal of any damaged furniture.

Any damage to the building finishes, lawns, landscaping, sidewalks, other furnishings, etc. caused by the vendor will be repaired at the vendor's expense. If the vendor fails to repair or replace the damaged item and it is necessary for the University to do so, the vendor will be charged for all labor and replacement costs.

All packing debris is to be removed from the premises by the successful bidder. The use of University dumpsters is prohibited. If the vendor fails to clean up the debris and it is necessary for the University to do so, the vendor will be charged for all necessary labor and related trash disposal charges.

CERTIFICATE OF INSURANCE:

The successful bidder(s)/installer must furnish a copy of their Certificate of Insurance showing General Liability, Automobile Liability, Excess Liability and Workers Compensation Insurance.

STORAGE:

If it becomes necessary to delay delivery, the successful bidder may store the furniture in other areas as designated by the University.

EXCEPTION:

If the bidder takes exception to any of these Special Terms & Conditions, **they must so note on the face of their bid.** If no exceptions are noted, the bidder will be required to fully comply with all above terms.

ARKANSAS TECH UNIVERSITY RFQ STANDARD TERMS & CONDITIONS

Revised 3-17-08

1. GENERAL: Any Special Terms and Conditions included in the Request for Quotation (RFQ) override these Standard Terms and Conditions. The Standard Terms & Conditions and any Special Terms & Conditions become a part of any resultant contract.

2. ACCEPTANCE & REJECTION: The University reserves the right to accept or reject all or any part of a bid or any and all bids, to waive minor technicalities and to award the bid in the best interests of the University. This RFQ does not in any way commit the University to contract for the commodities/ services listed herein.

3. BID SUBMISSION: Bids must be submitted to ATU Procurement Services on this RFQ with attachments, when appropriate, on or before the date and time specified for bid opening. If this RFQ form is not used, the bid may be rejected. If returned by mail, each bid should be placed in a separate envelope completely and properly identified on the outside of the envelope with the bid number and the date of opening. Bid must be typed or printed in ink. Late bids will not be considered.

4. FAX BIDS: The University shall not be responsible for mechanical malfunctions that prevent receipt of faxed response by bid opening time and date.

5. SIGNATURE: Failure to sign bid will disqualify it. Person signing bid should show title or authority to bind his firm in a contract. "Signature" means a manual or an electronic or digital method executed or adopted by a party with the intent to be bound by or to authenticate a record that is:

- (a) unique to the person using it;
- (b) capable of verification;
- (c) under the sole control of the person using it;
- (d) linked to data in a manner that if the data are changed, the electronic signature is invalidated

6. AMENDMENTS: Bid cannot be altered or amended after bid opening except as permitted by regulation.

7. NO BID: It is no longer necessary to return a "No Bid" response to the University. Bidder may be removed from the List of Bidders for failure to submit a response to three (3) consecutive bid invitations on any one bid class and/or sub-class.

8. PRICES: Quote FOB destination, freight prepaid. Bid unit price on quantity and unit of measure specified. In case of errors in extension, unit prices shall govern. Prices are firm and not subject to escalation, unless otherwise specified in the RFQ. Unless otherwise specified, bid must be firm for acceptance for thirty (30) days from bid opening date.

9. DISCOUNTS: "Discount from list" bids are not acceptable unless requested in the RFQ. Cash discount will not be considered in determining the low bid, except in the case of tie bids. All cash discounts offered will be taken if earned.

10. TAXES & TRADE DISCOUNTS: Do not include State Sales Tax in your bid. Trade discounts should be deducted from the unit price and the net price shown on bid.

11. QUANTITIES: Quantities stated on "firm" contracts are actual requirements of the University. The quantities stated in "term" contracts are estimated only and are not guaranteed (the University may order more or less than estimated quantity).

12. BRAND NAME REFERENCES: Unless specified “No Substitutes”, any catalog, brand name or manufacturer's reference used in bid invitation is descriptive only and not restrictive, and is used to indicate type and quality desired. Bids on brands of like nature and quality will be considered. If bidding on other than referenced specifications, bid must show manufacturer, brand or trade name and other description, and should include manufacturer's illustrations and complete descriptions of product offered. *If bidder fails to submit such, the bid may be rejected.*

The University reserves the right to determine whether a substitute offered is equivalent to and meets the standards of the item specified, and the University may require the bidder to supply additional descriptive material. Bidder guarantees product offered will meet or exceed specifications identified in the bid invitation. If bidder takes no exception to specifications or reference data in this bid, he will be required to furnish product according to brand names, numbers, etc., as specified in the invitation.

13. GUARANTY: All items bid shall be newly manufactured, in first class condition, latest model and design, including where applicable containers suitable for shipment and storage, unless otherwise indicated in bid invitation. Bidder hereby guarantees that everything furnished hereunder will be free from defects in design, workmanship and material; and that if sold by drawing, sample or specification, it will conform thereto and will serve the function for which furnished hereunder. Bidder further guarantees that if the items furnished thereunder are to be installed by the bidder that such items will function properly when installed. Bidder also guarantees that all applicable laws have been complied with relating to construction, packaging, labeling and registration. Bidder's obligations under this paragraph shall survive for a period of one (1) year from date of delivery, unless otherwise specified herein.

14. SAMPLES: Samples or demonstrators when requested must be furnished free of expense to the University. If samples are not destroyed during reasonable examination, they will be returned to the bidder, if requested, at bidder's expense. Each sample should be marked with the Bidder's name and address, bid number and item number. Tests may be performed on samples or demonstrators submitted with the bid or on samples taken from regular shipments. In the event products tested fail to meet or exceed all conditions and requirements of the original specifications, the cost of the sample used and the reasonable cost of the testing shall be borne by the bidder.

15. ALTERATION OF ORIGINAL RFQ DOCUMENT: The original written or electronic language of the RFQ shall not be changed or altered except by approved written addendum issued by ATU Procurement Services. This does not prohibit a vendor/contractor from taking exception(s) to these documents, but does clarify that he/she cannot change the original document's written or electronic language. If a vendor wishes to make exception(s) to any or the original language, they must be submitted in separate written or electronic language in a manner that clearly explains the exception(s). If a vendor's submittal is discovered to contain alterations/changes to the original written or electronic documents, the response may be declared as “non-responsive” and not considered.

16. AWARD: Any contract resulting from this RFQ shall be awarded with reasonable promptness by written notice to the lowest responsible and responsive bidder. A written Purchase Order mailed or otherwise furnished to the successful bidder within the time of acceptance specified in the RFQ results in a binding contract without further action by either party. The effective date of the purchase order shall be the date it is mailed or otherwise furnished by the University to the address of the bidder indicated in his bid. *The University reserves the right to award the item (s) listed on the RFQ “individually”, by “groups”, “all or none” or by any other method as deemed in the best interest of the University.* In the event all bids exceed available funds, as certified by the appropriate fiscal officer, the Agency Procurement Official is authorized, in situations where time or economic considerations preclude re-solicitation of work of a reduced scope, to negotiate an adjustment of the bid price, including changes in the bid requirements, with the lowest responsive responsible bidder in order to bring the bid within the amount of available funds.

Firm Contract: A written University Purchase Order mailed or otherwise furnished to the successful bidder within the time of acceptance specified in the RFQ results in a binding contract that requires the contract to furnish the commodities or services as stated on the purchase order that will reference the original RFQ

documents and number. Vendor is to immediately initiate action to comply with the requirements of the PO that by reference will incorporate all the requirements contained in the original Request for Quotation.

Term Contract: A Contract Award will be issued to the successful bidder. It results in a binding obligation of the item(s) or service(s) for specific pricing and time frame without further action at that time by either party. The Contract Award does not authorize any shipment(s) or service(s) to be provided. Shipment(s) of commodities or the providing of service(s) related to a "term contract" is only authorized by the receipt of a University Purchase Order by the contractor that will list the actual requirement, pricing, delivery location and contract number.

17. TERM OF CONTRACT: The RFQ, Contract Award or Purchase Order will clearly state the period of time the contract will be in effect for each individual contract.

18. DELIVERY: On the face of the RFQ, the bidder should show approximate number of days for delivery after receipt of order. "Working days" shall be defined as Monday through Friday of each week, exclusive of all official State holidays.

19. BACKORDERS OR DELAY IN DELIVERY: Backorders or failure to deliver within the time required may be default of the contract. Contractor must give written notice to Procurement Services of the reason and the expected delivery date. If reason is not acceptable, contractor is in default. Procurement Services has the right to extend delivery if reasons appear valid. If date is not acceptable, the University may buy elsewhere and any additional cost will be borne by the Contractor.

20. DELIVERY REQUIREMENTS: No substitutions or cancellations are permitted without prior written approval by ATU Procurement Services. Delivery shall be made during ATU work hours only, 8:00 a.m. to 400 p.m. Monday through Friday, unless prior approval for other delivery has been obtained from the University. Packing memorandum shall be enclosed with each shipment.

21. DEFAULT: All commodities furnished will be subject to inspection and acceptance of the University after delivery. Backorders, default in promised delivery or failure to meet specifications authorizes Procurement Services to cancel this contract or any portion of same and reasonably purchase commodities elsewhere and charge full increase, if any, in cost and handling to defaulting contractor. *Consistent failure to meet delivery without a valid reason may cause removal from the Bidders' List or suspension of eligibility for award.*

22. VARIATION IN QUANTITY: The University assumes no liability for commodities produced, processed or shipped in excess of the amount specified on the ATU Purchase Order.

23. INVOICING: The contractor shall be paid upon completion of all of the following:

- (1) delivery and acceptance of the commodities or services;
- (2) submission of a properly itemized invoice that reflects the contract/purchase order number(s), item(s), quantity and pricing;
- (3) and the proper and legal processing of the invoice by the University.

Invoices must be sent to the ATU Accounts Payable Office as shown on the purchase order. *Itemized sales tax shall be shown on the invoice.*

24. ATU PROPERTY: Any specifications, drawings, technical information, dies, cuts, negatives, positives, data or any other commodity furnished to the contractor hereunder or in contemplation thereof or developed by the contractor for use hereunder shall remain property of the University, be kept confidential to the extent allowed by Arkansas law, be used only as expressly authorized, and returned at the contractor's expense to ATU Procurement Services, properly identifying what is being returned.

25. PATENTS OR COPYRIGHTS: The contractor agrees to indemnify and hold Tech harmless from all claims, damages, and costs, including attorney's fees, arising from infringement of patents or copyrights.

26. ASSIGNMENT: Any contract entered into pursuant to this RFQ is not assignable nor the duties thereunder delegable by either party without the written consent of both parties of the original contract.

27. CANCELLATION: Either party may cancel any contract or item award for cause by giving a thirty (30) day notice of intent to cancel.

(a) *Cause for the University to cancel* will include, but is not limited to, cost exceeding current market prices for comparable purchases, request for increase in prices during the period of the contract or failure to perform to contract conditions. The contractor will be required to honor all purchase orders that were prepared and dated prior to the date of expiration or cancellation. Cancellation by the University does not relieve the contractor of any liability arising out of a default or nonperformance.

If a contract is cancelled due to a request for increases in pricing or failure to perform, that contractor will be removed from the bidders/vendors list for a period up to twenty-four (24) months.

(b) *Cause for the vendor to cancel* a contract will include but is not limited to the item(s) being discontinued and unavailable from the manufacturer or non-payment of vendor invoices by the University.

28. OTHER REMEDIES: In addition to the remedies outlined herein, the contractor and the University have the right to pursue any other remedy permitted by law or in equity.

29. LACK OF FUNDS: The University may cancel this contract to the extent funds are no longer legally available for expenditures under this contract. The University will return any delivered but unpaid goods in normal condition to the contractor. If the University is unable to return the commodities in normal condition and there are no funds legally available to pay for the goods, the contractor may file a claim with Arkansas Claims Commission for the actual expense. If the contractor has provided services and there are no longer funds legally available to pay for the services, the contractor may file a claim.

30. ETHICAL STANDARDS: It shall be a breach of ethical standards for a person to be retained, or to retain a person, to solicit or secure a University contract upon an agreement or understanding for a commission, percentage, brokerage or contingent fee, except for retention of bona fide employees or bona fide established commercial selling agencies maintained by the contractor for the purpose of securing business.

31. DISCRIMINATION: In order to comply with the provisions of Act 954 of 1977, relating to unfair employment practices, the bidder agrees as follows:

- (a) the bidder will not discriminate against any employee or applicant for employment because of race, sex, color, age, religion, handicap or national origin;
- (b) in all solicitations or advertisements for employees, the bidder will state that all qualified applicants will receive consideration without regard to race, color, sex, age, religion, handicap or national origin;
- (c) the bidder will furnish such relevant information and reports as requested by the Human Resources Commission for the purpose of determining compliance with the statute;
- (d) failure of the bidder to comply with the statute, the rules and regulations promulgated thereunder and this non-discrimination clause shall be deemed a breach of contract and it may be canceled, terminated or suspended in whole or in part;
- (e) the bidder will include the provisions of items a through d in every subcontract so that such provisions will be binding upon such subcontractor or vendor.

32. MINORITY VENDORS: The University encourages all small, minority and women-owned business enterprises to submit bids. Encouragement is also made to all contractors that, in the event they subcontract portions of the contract, consideration is given to these groups.

33. ANTITRUST ASSIGNMENT: As part of the consideration for entering into any contract pursuant to this RFQ, the bidder named on the front of this RFQ, acting herein by the authorized individual, its duly authorized agent, hereby assigns, sells and transfers to the University/State of Arkansas all rights, title and interest in and to all causes of action it may have under the antitrust laws of the United States or this State for price fixing, which causes of action have accrued

prior to the date of this assignment and which relate solely to the particular goods or services purchased or produced by this State pursuant to this contract.

34. CONTRACT & GRANT DISCLOSURE AND CERTIFICATION: Any contract or amendment to any contract executed by the University **that exceeds \$25,000** shall require the contractor to disclose information as required under the terms of Executive Order 98-04 and the regulations pursuant thereto. Failure of any person or entity to disclose or any violation of any rule, regulation or policy promulgated by the Department of Finance & Administration pursuant to this order shall be considered a material breach of the terms of this contract. The material breach of the terms shall subject the party failing to disclose, or in violation, to all legal remedies available to the University under the provisions of existing law.

If required, the Contract & Grant Disclosure and Certification Form (F-1 and F-2) shall be used for the disclosure purpose. No contract or amendment to any existing contract will be approved until the contractor completes and returns the disclosure form.

34. ARKANSAS TECHNOLOGY ACCESS CLAUSE: The vendor expressly acknowledges that state funds may not be expended in connection with the purchase of information technology unless that system meets certain statutory requirements in accordance with State of Arkansas technology policy standards relating to accessibility by persons with visual impairment. Accordingly, the vendor represents and warrants to ATU that the technology provided for purchase is capable, either by virtue of features included within the technology or because it is readily adaptable by use with other technology of:

- (1) providing equivalent access for effective use by both visual and non-visual means;
- (2) presenting information, including prompts used for interactive communications, in formats intended for non-visual use; and
- (3) being integrated into networks for obtaining, retrieving and disseminating information used by individuals who are not blind or visually impaired.

For purposes of this paragraph, *the phrase "equivalent access" means* a substantially similar ability to communicate with or make use of the technology, either directly by features incorporated within the technology or by other reasonable means such as assisting devices or services which would constitute reasonable accommodations under the Americans with Disabilities Act or similar state or federal laws. *Examples of methods* by which equivalent access may be provided include, but are not limited to, keyboard alternatives to mouse commands and other means of navigating graphical displays and customizable display appearance. If requested, the vendor must provide a detailed plan for making this purchase accessible and/or a validation of concept demonstration.

35. EEO POLICY: In accordance with Act 2157 of 2005 of the Arkansas Regular Legislative Session, any business or person responding to a Request for Quotation (Bid) must submit their most current Equal Employment Opportunity Policy (EEO Policy) or certify that they do not have such policy.

36. ILLEGAL IMMIGRANT CERTIFICATION: Act 157 of 2007 of the Arkansas Regular Legislative Session requires that any business or person responding to a Request for Qualifications, a Request for Proposal or a bid for professional services, technical and general services or any category of construction for which the total dollar value is **\$25,000 or greater**, must certify prior to the award of the contract, that they do not employ or contract with any illegal immigrants. Respondents are to certify online at:

http://www.arkansas.gov/dfa/procurement/pro_immigrant.html.

37. SOVEREIGN IMMUNITY: Nothing in any agreement resulting from this RFQ shall be construed to waive the sovereign immunity of the State of Arkansas or any entity thereof, including Arkansas Tech University.